# CERAFINE O MIX OF DESIGN AND TECHNOLOGY



## THE TAP THAT MAKES A STATEMENT

Distinguished by its beautiful design and outstanding performance, the Cerafine O is the tap to choose for luxury projects.



BlueStart® Technology



Water saving



SmartShine® Finishing



Click technology



EasyFix® installation



Hot water temperature control





As the ultimate development of the original ceramic disc cartridge, some 50 years on, FirmaFlow® is the undisputed market leader with its innovative engineering and extraordinary powers of durability, comfort and control are achieved for twice as long as the industry standard.







## CERAFINE O

## TECHNICAL SPECIFICATIONS

Basin mixer H80, metal pop-up waste, 5 l/min

Basin mixer H80, 5 l/min

Basin mixer H80 BlueStart®, 5 l/min Basin mixer H120, pop-up waste, 5 l/min









| Model Re | f. No. |
|----------|--------|
|----------|--------|

Basin mixer H80, metal pop-up waste, 5 l/min BC698AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Metal pop-up waste
- Finish: technology electroplating
- Colour: Chrome

Model Ref. No.

Basin mixer H80, 5 l/min

BC696AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome
   Comply with EN817

Model Ref. No.

Basin mixer H80 BlueStart®, 5 l/min

BC697AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- BlueStart® technology
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome

With metal pop-up waste With plastic pop-up

Model


BC699AA BC496AA


Ref. No.

waste BC496


- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome


Comply with EN817





#### Comply with EN817





Basin mixer H120, metal pop-up waste, 5 l/min

Basin mixer H120, 5 l/min

Basin mixer H120 BlueStart®, pop-up waste, 5 l/min

Basin mixer H120









| Basin mixer H120,   |         |
|---------------------|---------|
| metal pop-up waste. | BC699U4 |

Ref. No.

Model

5 l/min

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Metal pop-up waste
- Finish: technology powder coating
- Colour: Black/Chrome

#### Model Ref. No.

Basin mixer H120 BC554AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome Comply with EN817

#### With metal pop-up BC702AA waste


With plastic pop-up waste

Model

Ref. No.

BC701AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- BlueStart® technology
- · Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome







Model Ref. No.


Basin mixer H120 BlueStart®, 5 l/min

BC700AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- BlueStart® technology
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome







## **CERAFINE O** TECHNICAL SPECIFICATIONS

High spout basin mixer H155 with pop-up waste, 5 l/min

High spout basin mixer H155 with metal pop-up

High spout basin mixer H155, 5 l/min

Bidet mixer with metal pop-up waste, 5 l/min





Ref. No.





| Model  | Ref. No            |
|--|--------------------|
| With metal pop-up<br>waste<br>With plastic pop-up<br>waste | BC703AA<br>BC497AA |

- FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome Comply with EN817

• 28 mm ceramic cartridge

FirmaFlow® with hot water limiter Metal handle with red and

Model

- blue indicator
- Perlator aerator with 5 l/min flow rate limiter

H155, metal pop-up waste BC703U4

28 mm ceramic cartridge

- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation

High spout basin mixer

- Flexible hoses G3/8" for water supply system connection
- Metal pop-up waste
- Finish: technology powder
- Colour: Black/Chrome

Comply with EN817

Model Ref. No.

High spout basin mixer BC555AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Perlator aerator with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome

Comply with EN817




Model


Bidet mixer with metal BC705AA


Ref. No.


pop-up waste

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Aerator with ball joint with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Metal pop-up waste
- · Finish: technology electroplating
- Colour: Chrome









## pop-up waste, 5 l/min

#### Exposed shower mixer

#### Exposed shower mixer









Model Ref. No.

Bidet mixer with plastic BC498AA pop-up waste

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Aerator with ball joint with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for
- installation
- Flexible hoses G3/8" for water supply system connection
- Plastic pop-up waste
- Finish: technology electroplating
- Colour: Chrome

Model Ref. No.

Bidet mixer

BC704AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Aerator with ball joint with 5 l/min flow rate limiter
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- · Finish: technology electroplating
- Colour: Chrome Comply with EN817

Model Ref. No.

Exposed shower mixer BC499AA

- 38 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Check valve
- Standard S-connections
- Finish: technology electroplating
- · Colour: Chrome

Comply with EN817

Exposed shower mixer BC499U4


Ref. No.


- 38 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Check valve


Model


- Standard S-connections
- Finish: technology powder coating
- Colour: Black/Chrome

Comply with EN817









## **CERAFINE O** TECHNICAL SPECIFICATIONS

Exposed bath & shower

Exposed bath & shower

Exposed bath & shower mixer with accessories

Built-in shower mixer









Model

BC500AA

Ref. No.

Exposed bath & BC500U4 shower mixer

Ref. No.

Exposed bath & shower mixer with BC706AA accessories

Ref. No.

Model

set)

• Kit 1 + Kit 2 version (complete

Built-in shower mixer

• 47 mm Click cartrige

• Chrome plated plastic

Finish: technology

blue indicator

escutcheon

• Metal handle with red and

Ref. No.

A7192AA

- 38 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Check valve
- Standard S-connections
- Perlator aerator
- Automatic diverter
- · Finish: technology electroplating

- · Colour: Chrome
- Comply with EN817

- 38 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Check valve

Model

- Standard S-connections
- Perlator aerator
- Automatic diverter
- Finish:technology powder coating
- Colour: Black/Chrome

Comply with EN817


- 38 mm ceramic cartridge FirmaFlow® with hot water limiter
- Metal handle with red and blue indicator
- Check valve


Model


- Standard S-connections
- · Perlator aerator
- · Automatic diverter
- Accessories: fixed wall bracket, 1F hand shower, metal shower hose 1500 mm
- Finish: technology electroplating
- · Colour: Chrome


• Colour: Chrome Comply with EN817

electroplating









#### Built-in shower mixer

## Built-in bath & shower mixer

## Built-in bath & shower mixer

#### Built-in shower mixe









| Model | Ref. No. |
|-------|----------|
| Model | Ref. No. |

Built-in shower mixer A7192U4

- Kit 1 + Kit 2 version (complete set)
- 47 mm Click cartrige
- Metal handle with red and blue indicator
- Metal escutcheon
- Finish: technology powder coating
- Colour: Black/Chrome

Comply with EN817

Model Ref. No.

Built-in bath & shower mixer A7193AA

- Kit 1 + Kit 2 version (complete set)
- 47 mm Click cartrige
- Automatic diverter
- Metal handle with red and blue indicator
- Chrome plated plastic escutcheon
- Finish: technology electroplating
- Colour: Chrome

Comply with EN817

Model Ref. No.

Built-in bath & shower mixer A7193U4


- Kit 1 + Kit 2 version (complete set)
- 47 mm Click cartrige
- Automatic diverter
- Metal handle with red and blue indicator
- Metal escutcheon
- Finish: technology powder coating
- Colour: Black/Chrome


Comply with EN817


Model Ref. No.


Built-in shower mixer A7349AA

- Kit 2 version (visible parts)
- 47 mm Click cartrige
- Metal handle with red and blue indicator
- Chrome plated plastic escutcheon
- To be used only in combination with: A1000NU Kit 1 (internal part)
- Finish: technology electroplating
- Colour: Chrome









## **CERAFINE O**

### TECHNICAL SPECIFICATIONS

Built-in bath & shower

tubular spout

tubular spout

tubular spout









| Model | Rei. NO |
|-------|---------|
|       |         |
|       |         |

Built-in bath & shower A7350AA

- Kit 2 version (visible parts)
- 47 mm Click cartrige
- Automatic diverter
- Metal handle with red and blue indicator
- Chrome plated plastic escutcheon
- To be used only in combination with: A1000NU Kit 1 (internal part)
- Finish: technology electroplating
- Colour: Chrome

Comply with EN817

Model Ref. No.

Kitchen mixer High tubular spout

BC501AA

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- High attached tubular spout rotating on 360°
- Metal handle with red and blue indicator
- Perlator aerator
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology electroplating
- Colour: Chrome

Model Ref. No.

Kitchen mixer High tubular spout

BC501U4

- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- High attached tubular spout rotating on 360°
- · Metal handle with red and blue indicator
- Perlator aerator
- Decorative rosette part of the body (one piece)
- Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology powder coating
- · Colour: Black/Chrome


Model Ref. No.


Kitchen mixer High tubular spout

BC501Q9


- 28 mm ceramic cartridge FirmaFlow® with hot water limiter
- High attached tubular spout rotating on 360°
- Metal handle with red and blue indicator
- Perlator aerator
- Decorative rosette part of the body (one piece)
- · Easy-Fix system for installation
- Flexible hoses G3/8" for water supply system connection
- Finish: technology powder coating
- Colour: Champagne/Chrome


#### Comply with EN817





#### Comply with EN817







Cerafine O **Grande Basin Mixer**BC699AA



Cerafine O

Exposed Bath
& Shower Mixer
BC706AA

Handspray Set B9451AA

IdealFlex Hose A4109AA



Ideal Standard-Vidima AD

53 Marin Popov Street 5400 Sevlievo, Bulgaria Tel: +359 675 30362 office@idealstandard.com Representative office, Riga

A. Briana str. 9a,
Riga, LV- 1001, Latvia
Tel: +371 673 57 792
Fax: +371 673 57 795
VDorogoi@IdealStandard.com

Representative Office, Bucharest

Cotroceni Business Center Bd. Iuliu Maniu, nr 7, corp T, Floor 2, office A1, Sector 6 061072 Bucharest, Romania Tel/Fax: +40 21 322 3201 Tel/Fax: +40 21 322 3202

OfficeBucharest@idealstandard.com

Representative office, Belgrade

Drinčićeva no.19, apartment no.8 11000 Belgrade, Serbia Tel/Fax: +381 11 7138 058 Tel/Fax: +381 11 7138 059 OBelgrade@IdealStandard.com Representative Office, Budapest

IS-Hun Kft 1094 Budapest, Hungary Viola u 16-18 Tel: +36 30 6991 594 ZGarai@idealstandard.com Contact for Albania, Kosovo and Bosnia & Herzegovina

Tel: +359 887 709 696 IMichev@idealstandard.com

**Contact for Croatia** 

Tel: +38591 22 99 304 HPavicic@idealstandard.com **Contact for Slovenia** 

Tel: +39 040 2158058

info@liaison.it