DORN BRACHT

Dornbracht
Product program 2017 / Kitchen EXPORT

Price list –
does not include statutory VAT

Valid from 01.04.2017

Culturing Life

List of contents

Index 004 - 005

Modifications 2017 006

Finishes 007

Generic miscellaneous 107 - 116

Concealed articles 117 - 124

General information 125 - 130

Single-lever mixer Pull-down
009 - 012

Single-lever mixer Pull-out
013 - 018

Pivot
019 - 020

eUnit Kitchen
021 - 026

Water Dispenser
027 - 034

Price list – does not include statutory VAT.

Models, programmes and technical modifications as well as errors are excepted.

Sync

035 - 036

eno

037 - 040

Elio

041 - 048

Tara Ultra

049 - 058

Lot

059 - 066

Maro

067 - 070

Meta.02

071 - 080

Tara Classic

081 - 086

Tara.

087 - 094

Water Units

095 - 106

Index

Art. No.	Euro	Page
04		
04 31 20 067 00-86	26.00	116
05		
05 10 10 497 00 90	16.10	112
08		
08 10 10 495 90	16.10	110, 111, 112
08 10 10 600 90	28.90	112
08 10 10 603 90	16.10	110, 111, 112
10		
10 710 970-00	137.10	108
-06	205.50	108
-49	274.00	108
10 711 970-00	137.10	108
-06	205.50	108
10 712 970-00	137.10	109
-06	205.50	109
10 713 970-00	96.60	109
-06	144.90	109
-49	193.30	109
10 714 970-00	96.60	109
-06	144.90	109
12		
12 010 970 90	45.00	123
12 070 970 90	150.90	120
12 071 970-00	170.70	120
-06	303.70	120
12 074 970 90	170.70	118, 119
12 715 970-00	30.60	116
-06	48.90	116
12 892 970 90	829.70	033
12 896 970 90	94.90	033
17		
17 861 625-00	**759.70**	**032, 077**
-06	**1,139.60**	**032, 077**
17 861 680-00	1,060.10	029, 065
-06	1,590.20	029, 065
17 861 790-00	**759.70**	**030, 047**
-06	**1,139.60**	**030, 047**
17 861 875-00	652.10	028, 054
-06	978.20	028, 054
17 861 888-00	**759.70**	**031, 084**
-06	**1,139.60**	**031, 084**
-49	**1,266.30**	**031, 084**
19		
19 815 892-00	757.60	088
-06	1,136.80	088
20		
20 815 882-00	885.70	090, 091
-06	1,328.90	090, 091
20 815 892-00	811.80	089, 090
-06	1,217.90	089, 090
-49	1,623.80	089
22		
22 815 892-00	432.70	088
-06	649.10	088
-49	865.50	088
27		
27 714 970-00	420.20	113
-06	630.40	113
27 718 970-00	405.20	114
-06	607.70	114
-49	810.30	114
27 719 970-00	387.50	113
-06	581.20	113
27 780 970-00	867.40	115
-06	1,301.10	115
27 784 970-00	1,002.00	114
-06	1,503.40	114
27 789 970-00	945.80	115
-06	1,418.60	115
30		
30 151 892-00	405.00	092
-06	607.50	092
30 800 875-00	731.40	057
-06	1,097.00	057
31		
31 151 892-00	783.40	092
-06	1,174.90	092
32		
32 800 625-00	627.50	073, 074
-06	940.90	073, 074
32 800 680-00	1,262.90	060, 061
-06	1,894.40	060, 061
32 800 790-00	651.50	045, 046
-06	846.90	045, 046
32 800 795-00	1,024.20	069, 070
-06	1,536.50	069, 070
32 805 680-00	987.90	064
-06	1,482.30	064
32 812 680-00	1,167.50	061, 062
-06	1,751.20	061, 062
32 815 625-00	696.40	075, 076
-06	1,044.40	075, 076
32 843 680-00	1,262.90	063, 064
-06	1,894.40	063, 064
33		
33 800 760-00	414.60	040
-06	538.90	040
33 800 790-00	560.30	043
-06	728.50	043
33 800 795-00	865.80	068
-06	1,298.20	068
33 800 875-00	505.50	050
-06	758.20	050
33 800 888-00	616.10	082
-06	924.10	082
33 805 875-00	492.00	055
-06	738.00	055
33 810 625-00	563.60	072
-06	845.50	072
33 815 888-00	616.10	082
-06	924.10	082
-49	1,232.30	082
33 816 875-00	518.80	050
-06	778.40	050
33 816 876-00	532.40	051
-06	798.70	051
33 818 875-00	532.40	051
-06	798.70	051
33 820 625-00	563.60	072, 073
-06	845.50	072, 073
33 826 790-00	560.30	044
-06	728.50	044
33 826 795-00	923.00	068, 069
-06	1,384.60	068, 069
33 826 875-00	532.40	052
-06	798.70	052
33 826 876-00	545.80	053
-06	818.90	053
33 826 888-00	604.80	083
-06	907.10	083
-49	1,209.50	083
33 840 760-00	470.30	015, 039
-06	611.60	015, 039
33 840 790-00	592.30	017, 043
-06	769.90	017, 043
33 845 760-00	522.30	014, 038
-06	679.00	014, 038
33 845 875-00	979.50	020, 056
-06	1,469.20	020, 056
-49	1,959.10	020, 056
33 860 875-00	1,077.20	056
-06	1,615.80	056
33 870 760-00	501.20	015, 039
-06	651.50	015, 039
33 870 790-00	623.00	016, 042
-06	809.90	016, 042
33 870 791-00	726.80	016, 042
-06	944.60	016, 042
33 870 875-00	623.00	011, 055
-06	809.80	011, 055
33 870 895-00	688.50	010, 036
-06	895.00	010, 036
33 875 760-00	553.00	014, 038
-06	718.90	014, 038
33 875 895-00	688.50	010, 036
-06	895.00	010, 036
33 880 888-00	1,278.50	085
-06	1,917.60	085
33 880 889-00	1,278.50	085
-06	1,917.60	085
35		
35 086 970 90	87.90	118
35 707 970 90	236.90	121
35 712 970 90	209.10	122
35 713 970 90	236.90	121
35 714 970 90	236.90	122
35 806 970 90	239.20	118
35 807 970 90	239.20	119
35 808 970 90	239.20	119
35 816 970 90	273.60	120
36		
36 818 892-00	904.90	093
-06	1,357.30	093
-49	1,809.70	093
36 819 892-00	918.60	094
-06	1,377.50	094
36 820 680-00	845.30	066
-06	1,268.20	066
36 834 625-00	707.10	078
-06	1,060.60	078
36 838 625-00	752.10	079
-06	1,128.40	079
36 851 625-00	766.00	080
-06	1,149.00	080
37		
37 847 875-00	1,328.00	057
-06	1,991.90	057
38		
38 000 000-86	1,187.20	098
38 001 000-86	1,428.10	098
38 040 000-86	1,307.60	099
38 041 000-86	1,570.00	099
38 060 000-86	1,406.60	100
38 061 000-86	1,585.80	100
38 080 000-86	1,541.00	101
38 081 000-86	1,730.00	101
38 090 000-86	1,571.10	102
38 091 000-86	1,758.60	102
38 100 000-86	1,638.50	103
38 101 000-86	1,826.10	103
38 111 000-86	1,845.00	104
38 401 000-86	2,819.20	104
38 531 000-86	3,735.70	096
38 541 000-86	3,821.90	096
38 561 000-86	2,822.30	097
38 571 000-86	3,296.80	097
39		
39 707 970 90	332.90	123
39 713 970 90	332.90	123
39 806 970 90	332.90	123
41		
41 270 680-00	4,402.30	023
-06	5,192.40	023
41 270 790-00	4,063.70	024
-06	4,853.90	024

Index

Art. No.	Euro	Page
41 270 875-00	4,402.30	025
-06	5,192.40	025
41 271 875-06	8,127.20	022
82		
82 426 970-00	194.60	112
-06	291.90	112
82 427 970-00	282.40	110
-06	423.60	110
82 435 970-00	157.60	112
-06	236.50	112
82 436 970-00	212.00	111
-06	317.90	111
-49	423.80	111
82 437 970-00	327.40	110
-06	491.00	110
82 438 970-00	242.50	111
-06	363.40	111
84		
84 700 000-13	231.80	105
-48	348.80	105
84 710 000-13	157.60	116
84 750 000-13	176.50	105
84 751 000-13	133.40	105
90		
90 10 10 510 00-00	101.10	112
-06	170.70	112
90 10 10 516 00-00	170.70	110
-06	293.60	110
90 10 10 518 00-00	126.30	111, 112
-06	221.30	111, 112
-49	221.30	111

Modifications 2017

Supplements

Water Dispenser Series designs ELIO 17 861 790-FF, META 02 17 861 625-FF and TARA CLASSIC 17 861 888-FF are being added to the WATER DISPENSER (available immediately). The TARA CLASSIC WATER DISPENSER will also be available in the exclusive CYPRUM finish.

Discontinuations

The following products will be discontinued from the product programme on 30.09.2017:

Low pressure All low-pressure single-lever mixers will be discontinued from the product programme. This applies to single-lever mixers from the series TARA ULTRA (33 850 875-FF), TARA CLASSIC (33 855 888-FF) and ELIO (33 890 790-FF).

Tara Ultra Within the TARA ULTRA series, both the upright version of POT FILLER 17 800 875-FF and Profi two-hole mixer 32 835 875-FF will be discontinued.

Lot PREP SET 37 849 680-FF will be withdrawn from the programme. Profi two-hole mixer 32 835 680-FF will also be discontinued.

Water Units Single sinks 38 030 000-86/38 031 000-86 and 38 050 000-86/38 051 000-86 will be withdrawn from the programme. Double sinks 38 511 000-86 and 38 521 000-86 and cutting boards 84 750 000/84 751 000 in finish -48 (oak) will also be discontinued.

Generic miscellaneous Electric strainer wastes 10 731 970-FF and 10 730 970-FF will be withdrawn from the programme.

All Professional Information can also be found at **www.dornbracht.com**.

Finishes

Descriptions of the finishes

Dornbracht products are designed to retain their special aesthetic quality and reliability over many years. This is why we attach great importance to maintaining a high standard of quality throughout the production process. This starts with selecting the right raw materials. Then the pieces are formed and polished. After numerous further stages and strict quality controls, the fittings are given their exquisite finishes in the electroplating shop. They then undergo a further check and are carefully packed, so that our exclusive, hand-made products can be safely transported.

The list below contains technical information about our surface finishes.

Finish	Description	Production
Polished chrome	The classically elegant, high-gloss finish	1. Base material (brass) 2. Surface work: rough grinding and regrinding, polishing, superfine polishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4. First plated coating: shiny nickel 5. Second plated coating: chrome
Platinum matt	A warm tone, with an elegant, matt finish	1. Base material (brass) 2. Surface work: rough grinding and regrinding, polishing, matt finishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4. First plated coating: matt nickel 5. Second plated coating: palladium nickel
Cyprum	A warm rose gold colour with a high-gloss, many-facetted finish	1. Base material (brass) 2. Surface work: rough grinding and regrinding, polishing, superfine polishing 3. Preparatory treatment: cleaning, ultrasonic cleaning 4. First plated coating: shiny nickel 5. Second plated coating: palladium nickel 6. Third plated coating: 18-carat gold

Single-lever mixer Pull-down

Sieger Design

The pull-down single-lever mixer features a functional element that can be extended downward. At the touch of a button, it changes from a gentle laminar flow with minimal splashing to a powerful spray jet.

All Professional Information can also be found at **www.dornbracht.com**.

Single-lever mixer Pull-down Sieger Design

33 875 895 Sync

Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 875 895-00**	**688.50**
platinum matt	**33 875 895-06**	**895.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**



33 870 895 Sync

Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 895-00**	**688.50**
platinum matt	**33 870 895-06**	**895.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**



33 870 875 Tara Ultra



Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 500 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 875-00**	**623.00**
platinum matt	**33 870 875-06**	**809.80**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Single-lever mixer Pull-out

Sieger Design

The pull-out single-lever mixer features a functional element that can be extended forwards and can be ordered with an extending spout or extending spray, as required.

Modifications 2017

The Pull-out single-lever mixer **33 890 790-FF** from the ELIO series is affected by the removal of low-pressure single-lever mixers.

All Professional Information can also be found at **www.dornbracht.com**.

Single-lever mixer Pull-out Sieger Design

33 875 760 eno



Single-lever mixer Pull-out with spray function

- **225 mm projection**
- pivotable spout 130°
- air-enriched flow and spray flow
- height of mixer 254 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 1600mm metal shower hose
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 875 760-00**	**553.00**
platinum matt	**33 875 760-06**	**718.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 845 760 eno



Single-lever mixer Pull-out

- **220 mm projection**
- pivotable spout 130°
- air-enriched flow
- height of mixer 288 mm
- height up to aerator 187 mm
- hole diameter 35 mm
- 1600mm metal shower hose
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 845 760-00**	**522.30**
platinum matt	**33 845 760-06**	**679.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 870 760 eno

Single-lever mixer Pull-out with spray function

- **225 mm projection**
- pivotable spout 130°
- air-enriched flow and spray flow
- height of mixer 167 mm
- height up to aerator 137 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 760-00**	**501.20**
platinum matt	**33 870 760-06**	**651.50**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 840 760 eno

Single-lever mixer Pull-out

- **220 mm projection**
- pivotable spout 130°
- air-enriched flow
- height of mixer 167 mm
- height up to aerator 145 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 840 760-00**	**470.30**
platinum matt	**33 840 760-06**	**611.60**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Single-lever mixer Pull-out Sieger Design

33 870 790 Elio



Single-lever mixer Pull-out with spray function

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 790-00**	**623.00**
platinum matt	**33 870 790-06**	**809.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 870 791 Elio



Single-lever mixer Pull-out with spray function with lever on left

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 791-00**	**726.80**
platinum matt	**33 870 791-06**	**944.60**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 840 790 Elio



Single-lever mixer Pull-out

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 337 mm
- height up to aerator 300 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 840 790-00**	**592.30**
platinum matt	**33 840 790-06**	**769.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Pivot

Sieger Design

PIVOT combines high-quality aesthetics with practical functionality. It is the first fitting for use on the complete kitchen island – with a radius of action of 360°, the individual areas of application in the kitchen can be effortlessly combined.

All Professional Information can also be found at **www.dornbracht.com**.

Pivot Sieger Design

33 845 875 Tara Ultra



PIVOT Single-lever mixer

- **552 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 372 mm
- height up to aerator 290 mm
- rosette 55 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 845 875-00**	**979.50**
platinum matt	**33 845 875-06**	**1,469.20**
Cyprum	**33 845 875-49**	**1,959.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

eUnit Kitchen

Sieger Design

The first electronic product solution for the kitchen from Dornbracht: the different functions of eUNIT KITCHEN help you with your everyday work in the kitchen. The control elements give you accurate control of water temperature and volume and the foot sensor takes the place of a ”missing“ free hand, allowing water to flow without you having to lift a finger. Added to this are the electronic strainer waste and a water dispensing function that allows water to be dispensed in precise amounts of 1 litre and 0.1 litre steps.

All Professional Information can also be found at **www.dornbracht.com**.

41 271 875



eUNIT KITCHEN Electronic functional unit integrated into the sink

TARA ULTRA Profi outlet
- spout, projection 240mm
- pivotable spout 360°
- laminar and spray flow
- max. flow 7 l/min
- inherently safe from back flow.
- lead-free

single sink, 1100 mm x 405 mm
- single sink with drainer and lowered tap hole bank
- sink depth 200mm
- stainless steel, material thickness 1.5 mm
- installation, on top or flush
- complete pop-up waste and overflow set with valve bridge
- 3 1/2" closable strainer basket valve
- attachment set

electronic strainer waste
- to automatically open and close the 3 1/2" strainer basket valve

foot sensor
- for starting and stopping the flow of water, contact-free
- class 1 laser product (meets the requirements of DIN EN 60825-1/IEC 60825-1:2007)
- holder for attachment

electronic control elements, pre-fitted (SMART TOOLS)
- 2x twist-action control elements with electronic control for temperature and volume
- 1x display switch control element with electronic control for a TARA ULTRA Profi outlet, electronic strainer waste and dosing function, 60 x 60 mm
- preset temperature and volume
- button lock for cleaning
- pause function
- service displays
- can be updated and networked
- app for individualisation

control unit and connection materials
- ready-to-use control unit for DIN rail mounting TS 35, (120mm x 135mm x 60mm)
- 2x 1/2"IG x 1/2"IG x 400mm high pressure hose
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- 2x angle valve with filter

Detailed planning information and technical data can be found at www.dornbracht-professional.com

		Euro
platinum matt	**41 271 875-06**	**8,127.20**

41 270 680



eUNIT KITCHEN Electronic functional unit

LOT outlet
- spout, projection 235mm
- pivotable spout 360°
- hole diameter spout 35 mm
- laminar flow
- max. flow 7 l/min
- lead-free

electronic strainer waste
- to automatically open and close the 3 1/2" strainer basket valve

foot sensor
- for starting and stopping the flow of water, contact-free
- class 1 laser product (meets the requirements of DIN EN 60825-1/IEC 60825-1:2007)
- holder for attachment

1x electronic control elements (SMART TOOLS)
- 2x twist-action control elements with electronic control for temperature and volume, each 60 x 60 mm
- 1x display switch control element with electronic control for a LOT outlet, electronic strainer waste and dosing function, 60 x 60 mm
- hole diameter for each control element 35mm
- preset temperature and volume
- button lock for cleaning
- pause function
- service displays
- can be updated and networked
- app for individualisation

control unit and connection materials
- ready-to-use control unit for wall mounting incl. 1 x eVALVE electronic valve for water temperature and volume adjustment, (240mm x 135mm x 60mm)
- 2x 1/2"IG x 1/2"IG x 400mm high pressure hose
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- 2x angle valve with filter

Detailed planning information and technical data can be found at www.dornbracht-professional.com

		Euro
polished chrome	**41 270 680-00**	**4,402.30**
platinum matt	**41 270 680-06**	**5,192.40**

41 270 790



eUNIT KITCHEN Electronic functional unit

ELIO outlet
- extending spout, projection 235mm
- pivotable spout 360°
- hole diameter spout 35 mm
- laminar flow
- fabric braided hose 1500mm
- max. flow 7 l/min
- lead-free

electronic strainer waste
- to automatically open and close the 3 1/2" strainer basket valve

foot sensor
- for starting and stopping the flow of water, contact-free
- class 1 laser product (meets the requirements of DIN EN 60825-1/IEC 60825-1:2007)
- holder for attachment

1x electronic control elements (SMART TOOLS)
- 2x twist-action control elements with electronic control for temperature and volume, each 60 x 60 mm
- 1x display switch control element with electronic control for an ELIO outlet, electronic strainer waste and dosing function, 60 x 60 mm
- hole diameter for each control element 35mm
- preset temperature and volume
- button lock for cleaning
- pause function
- service displays
- can be updated and networked
- app for individualisation

control unit and connection materials
- ready-to-use control unit for wall mounting incl. 1 x eVALVE electronic valve for water temperature and volume adjustment, (240mm x 135mm x 60mm)
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- 2x 1/2"IG x 1/2"IG x 400mm high pressure hose
- 2x angle valve with filter

Detailed planning information and technical data can be found at www.dornbracht-professional.com

		Euro
polished chrome	**41 270 790-00**	**4,063.70**
platinum matt	**41 270 790-06**	**4,853.90**

41 270 875



eUNIT KITCHEN Electronic functional unit

TARA ULTRA Profi outlet
- spout, projection 240mm
- pivotable spout 360°
- hole diameter spout 30 mm
- laminar and spray flow
- max. flow 7 l/min
- inherently safe from back flow.
- lead-free

electronic strainer waste
- to automatically open and close the 3 1/2" strainer basket valve

foot sensor
- for starting and stopping the flow of water, contact-free
- class 1 laser product (meets the requirements of DIN EN 60825-1/IEC 60825-1:2007)
- holder for attachment

1x electronic control elements (SMART TOOLS)
- 2x twist-action control elements with electronic control for temperature and volume, each 60 x 60 mm
- 1x display switch control element with electronic control for a TARA ULTRA Profi outlet, electronic strainer waste and dosing function, 60 x 60 mm
- hole diameter for each control element 35mm
- preset temperature and volume
- button lock for cleaning
- pause function
- service displays
- can be updated and networked
- app for individualisation

control unit and connection materials
- ready-to-use control unit for wall mounting incl. 1 x eVALVE electronic valve for water temperature and volume adjustment, (240mm x 135mm x 60mm)
- 2x 1/2"IG x 1/2"IG x 400mm high pressure hose
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- 2x angle valve with filter

Detailed planning information and technical data can be found at www.dornbracht-professional.com

		Euro
polished chrome	**41 270 875-00**	**4,402.30**
platinum matt	**41 270 875-06**	**5,192.40**

Water Dispenser

Sieger Design

WATER DISPENSERS supply just filtered, cold or boiling hot water, combining sensible, practical functions with extreme ease of use in the design language of the TARA ULTRA and LOT series.

Modifications 2017

Series designs ELIO **17 861 790-FF**, META 02 **17 861 625-FF** and TARA CLASSIC **17 861 888-FF** are being added to the WATER DISPENSER (available immediately).

All Professional Information can also be found at **www.dornbracht.com**.

Water Dispenser Sieger Design

17 861 875 Tara Ultra



HOT & COLD WATER DISPENSER

- **146 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 288 mm
- height up to laminar flow regulator 180 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 875-00**	**652.10**
platinum matt	**17 861 875-06**	**978.20**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

		Euro
Single sink matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

		Euro
DRINKING PLATE black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

17 861 680 Lot

HOT & COLD WATER DISPENSER



- **145 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 235 mm
- height up to laminar flow regulator 215 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 680-00**	**1,060.10**
platinum matt	**17 861 680-06**	**1,590.20**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

		Euro
Single sink matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

		Euro
DRINKING PLATE black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

Water Dispenser Sieger Design

17 861 790 Elio



HOT & COLD WATER DISPENSER

- **142 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 248 mm
- height up to laminar flow regulator 184 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 790-00**	**759.70**
platinum matt	**17 861 790-06**	**1,139.60**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

17 861 888 Tara Classic



HOT & COLD WATER DISPENSER

- **146 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 288 mm
- height up to laminar flow regulator 181 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 888-00**	**759.70**
platinum matt	**17 861 888-06**	**1,139.60**
Cyprum	**17 861 888-49**	**1,266.30**

Required miscellaneous — Euro

Hot water tank incl. filter — **12 892 970 90** — **829.70**

For details see page 033

Recommended miscellaneous — Euro

Single sink — matt high-grade steel — **38 001 000-86** — **1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous — Euro

DRINKING PLATE — black — **84 710 000-13** — **157.60**

- for placing in the single sink

For details see page 116



mm

Water Dispenser Sieger Design

17 861 625 Meta.02



HOT & COLD WATER DISPENSER

- **145 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 248 mm
- height up to laminar flow regulator 184 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (137mm x 159mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 625-00**	**759.70**
platinum matt	**17 861 625-06**	**1,139.60**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

12 892 970 Miscellaneous



Hot water tank incl. filter

- **CEE 7/4 connector**
- thermostat regulator (88°C - 98°C)
- capacity 2,5 litres
- power 1300 W
- voltage 220 - 240 volt
- activated carbon filter (5.0 micron level)
- chemical and mechanical filtering
- reduces water hardness (ion exchanger)
- filters dirt, rust, chlorine and lead particles
- filter capacity approx. 450 litres

For use with HOT & COLD WATER DISPENSER 17 861 625 / 17 861 680 / 17 861 790 / 17 861 875 / 17 861 888

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

The products are not available in all markets, please contact your Dornbracht sales force.

NOTE: This item is conditioned separately.

	Euro
12 892 970 90	**829.70**

12 896 970 Miscellaneous

Replacement filter cartridge

- activated carbon filter (5.0 micron level)
- chemical and mechanical filtering
- reduces water hardness (ion exchanger)
- filters dirt, rust, chlorine and lead particles
- filter capacity approx. 450 litres
- **for 12 892 970 90**

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

The products are not available in all markets, please contact your Dornbracht sales force.

NOTE: This item is conditioned separately.

	Euro
12 896 970 90	**94.90**

Sync

Sieger Design

All Professional Information can also be found at **www.dornbracht.com**.

33 875 895

Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 875 895-00**	**688.50**
platinum matt	**33 875 895-06**	**895.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**



33 870 895

Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 444 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 895-00**	**688.50**
platinum matt	**33 870 895-06**	**895.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**



eno

Sieger Design

All Professional Information can also be found at **www.dornbracht.com**.

33 875 760



Single-lever mixer Pull-out with spray function

- **225 mm projection**
- pivotable spout 130°
- air-enriched flow and spray flow
- height of mixer 254 mm
- height up to aerator 179 mm
- hole diameter 35 mm
- 1600mm metal shower hose
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 875 760-00**	**553.00**
platinum matt	**33 875 760-06**	**718.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 845 760



Single-lever mixer Pull-out

- **220 mm projection**
- pivotable spout 130°
- air-enriched flow
- height of mixer 288 mm
- height up to aerator 187 mm
- hole diameter 35 mm
- 1600mm metal shower hose
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 845 760-00**	**522.30**
platinum matt	**33 845 760-06**	**679.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 870 760

Single-lever mixer Pull-out with spray function

- **225 mm projection**
- pivotable spout 130°
- air-enriched flow and spray flow
- height of mixer 167 mm
- height up to aerator 137 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 760-00**	**501.20**
platinum matt	**33 870 760-06**	**651.50**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 840 760

Single-lever mixer Pull-out

- **220 mm projection**
- pivotable spout 130°
- air-enriched flow
- height of mixer 167 mm
- height up to aerator 145 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 840 760-00**	**470.30**
platinum matt	**33 840 760-06**	**611.60**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 800 760



Single-lever mixer

- **220 mm projection**
- pivotable spout 130°
- air-enriched flow
- height of mixer 167 mm
- height up to aerator 145 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 800 760-00**	**414.60**
platinum matt	**33 800 760-06**	**538.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Elio

Sieger Design

Modifications 2017

WATER DISPENSER **17 861 790-FF** is being added to the ELIO series.
The Pull-out single-lever mixer **33 890 790-FF** from the ELIO series is affected by the removal of low-pressure single-lever mixers.

All Professional Information can also be found at **www.dornbracht.com**.

33 870 790



Single-lever mixer Pull-out with spray function

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 790-00**	**623.00**
platinum matt	**33 870 790-06**	**809.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 870 791



Single-lever mixer Pull-out with spray function with lever on left

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 791-00**	**726.80**
platinum matt	**33 870 791-06**	**944.60**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 840 790

Single-lever mixer Pull-out

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 337 mm
- height up to aerator 300 mm
- hole diameter 35 mm
- fabric braided hose 1500mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.



			Euro
polished chrome	**33 840 790-00**	**592.30**
platinum matt	**33 840 790-06**	**769.90**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 800 790

Single-lever mixer

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow
- height of mixer 337 mm
- height up to aerator 297 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free



			Euro
polished chrome	**33 800 790-00**	**560.30**
platinum matt	**33 800 790-06**	**728.50**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 826 790 +
27 719 970



Single-lever mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 337 mm
- height up to aerator 297 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 33 826 790-00**	560.30
	1x 27 719 970-00	387.50
	Total price:	**947.80**
platinum matt	**1x 33 826 790-06**	728.50
	1x 27 719 970-06	581.20
	Total price:	**1,309.70**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 826 790 +
27 789 970



Single-lever mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow and spray flow
- height of mixer 337 mm
- test
- height up to aerator 297 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- sprayface with anti-scaling system
- automatic spout/shower diverter
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 826 790-00**	560.30
	1x 27 789 970-00	945.80
	Total price:	**1,506.10**
platinum matt	**1x 33 826 790-06**	728.50
	1x 27 789 970-06	1,418.60
	Total price:	**2,147.10**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

32 800 790



Two-hole mixer with individual rosettes

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow
- height of mixer 337 mm
- height up to aerator 297 mm
- individual rosettes Ø 55mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

			Euro
	polished chrome	**32 800 790-00**	**651.50**
	platinum matt	**32 800 790-06**	**846.90**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 800 790 +
27 719 970



Two-hole mixer with individual rosettes with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 337 mm
- height up to aerator 297 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.

			Euro
	polished chrome	**1x 32 800 790-00**	651.50
		1x 27 719 970-00	387.50
		Total price:	**1,039.00**
	platinum matt	**1x 32 800 790-06**	846.90
		1x 27 719 970-06	581.20
		Total price:	**1,428.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

Elio Sieger Design

32 800 790 +
27 789 970



Two-hole mixer with individual rosettes with profi spray set

- **235 mm projection**
- pivotable spout 360°
- spout, end-piece with 20° rotation
- air-enriched flow and spray flow
- height of mixer 337 mm
- test
- height up to aerator 297 mm
- individual rosettes Ø 55mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- automatic spout/shower diverter
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

		Euro
polished chrome	**1x 32 800 790-00**	651.50
	1x 27 789 970-00	945.80
	Total price:	**1,597.30**
platinum matt	**1x 32 800 790-06**	846.90
	1x 27 789 970-06	1,418.60
	Total price:	**2,265.50**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

17 861 790



HOT & COLD WATER DISPENSER

- **142 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 248 mm
- height up to laminar flow regulator 184 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 790-00**	**759.70**
platinum matt	**17 861 790-06**	**1,139.60**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

Tara Ultra

Sieger Design

Modifications 2017

The Pull-out single-lever mixer **33 850 875-FF** of the TARA ULTRA series is affected by the removal of low-pressure single-lever mixers.
The Profi two-hole mixer **32 835 875-FF** and the upright version of the POT FILLER **17 800 875-FF** will also be discontinued from the product programme.

All Professional Information can also be found at **www.dornbracht.com**.

Tara Ultra Sieger Design

33 800 875



Single-lever mixer

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 373 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 800 875-00**	**505.50**
platinum matt	**33 800 875-06**	**758.20**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 816 875



Single-lever mixer

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 816 875-00**	**518.80**
platinum matt	**33 816 875-06**	**778.40**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 816 876



Single-lever mixer with lever on left

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 393 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 816 876-00**	**532.40**
platinum matt	**33 816 876-06**	**798.70**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 818 875



Single-lever mixer

- **280 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 422 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 818 875-00**	**532.40**
platinum matt	**33 818 875-06**	**798.70**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Tara Ultra Sieger Design

33 826 875 +
27 719 970

Single-lever mixer with rinsing spray set

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 393 mm
- height up to aerator 240 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 33 826 875-00**	532.40
	1x 27 719 970-00	387.50
	Total price:	**919.90**
platinum matt	**1x 33 826 875-06**	798.70
	1x 27 719 970-06	581.20
	Total price:	**1,379.90**



Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 826 875 +
27 789 970

Single-lever mixer with profi spray set

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 393 mm
- test
- height up to aerator 240 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 826 875-00**	532.40
	1x 27 789 970-00	945.80
	Total price:	**1,478.20**
platinum matt	**1x 33 826 875-06**	798.70
	1x 27 789 970-06	1,418.60
	Total price:	**2,217.30**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 826 876 +
27 719 970

Single-lever mixer with lever on left with rinsing spray set

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 393 mm
- height up to aerator 240 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 33 826 876-00**	545.80
	1x 27 719 970-00	387.50
	Total price:	**933.30**
platinum matt	**1x 33 826 876-06**	818.90
	1x 27 719 970-06	581.20
	Total price:	**1,400.10**



Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 826 876 +
27 789 970

Single-lever mixer with lever on left with profi spray set

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 393 mm
- test
- height up to aerator 240 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 826 876-00**	545.80
	1x 27 789 970-00	945.80
	Total price:	**1,491.60**
platinum matt	**1x 33 826 876-06**	818.90
	1x 27 789 970-06	1,418.60
	Total price:	**2,237.50**



Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Tara Ultra Sieger Design

17 861 875



HOT & COLD WATER DISPENSER

- **146 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 288 mm
- height up to laminar flow regulator 180 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 875-00**	**652.10**
platinum matt	**17 861 875-06**	**978.20**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

33 805 875



BAR TAP Single-lever mixer

- **165 mm projection**
- pivotable spout 360°
- laminar flow
- height of mixer 303 mm
- height up to laminar flow regulator 186 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 805 875-00**	**492.00**
platinum matt	**33 805 875-06**	**738.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 870 875



Single-lever mixer Pull-down with spray function

- **240 mm projection**
- pivotable spout 360°
- optional limiting, pivoting 150°
- laminar and spray flow
- height of mixer 500 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1500mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 870 875-00**	**623.00**
platinum matt	**33 870 875-06**	**809.80**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

Tara Ultra Sieger Design

33 860 875



Profi single-lever mixer

- **240 mm projection**
- pivotable 360°
- air-enriched flow and spray flow
- height of mixer 685 mm
- height up to aerator 129 mm
- hole diameter 35 mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

		Euro
polished chrome	**33 860 875-00**	**1,077.20**
platinum matt	**33 860 875-06**	**1,615.80**

Recommended miscellaneous

Dispenser without rosette

For details see page 112

		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 845 875



PIVOT Single-lever mixer

- **552 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 372 mm
- height up to aerator 290 mm
- rosette 55 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 845 875-00**	**979.50**
platinum matt	**33 845 875-06**	**1,469.20**
Cyprum	**33 845 875-49**	**1,959.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

30 800 875



POT FILLER Cold-water valve

- **500 mm projection**
- pivoting spout
- laminar flow
- cold water only
- max. flow 12 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**30 800 875-00**	**731.40**
platinum matt	**30 800 875-06**	**1,097.00**

Required miscellaneous

POT FILLER Concealed wall elbow

- min. recess depth 70 mm
- max. recess depth 96 mm

For details see page 118

		Euro
Concealed rough parts	**35 086 970 90**	**87.90**

37 847 875



UNI SET Single-lever mixer

- **240 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- single-lever mixer hole diameter 35mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**37 847 875-00**	**1,328.00**
platinum matt	**37 847 875-06**	**1,991.90**

Lot

Sieger Design

Modifications 2017

The Profi two-hole mixer **32 835 680-FF** and the PREP SET **37 849 680-FF** will be discontinued from the product programme.

All Professional Information can also be found at **www.dornbracht.com**.

32 800 680



Two-hole mixer with individual rosettes

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 345 mm
- height up to aerator 319 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

		Euro
polished chrome	**32 800 680-00**	**1,262.90**
platinum matt	**32 800 680-06**	**1,894.40**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

---

32 800 680 +
27 714 970



Two-hole mixer with individual rosettes with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 345 mm
- height up to aerator 319 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 32 800 680-00**	1,262.90
	1x 27 714 970-00	420.20
	Total price:	**1,683.10**
platinum matt	**1x 32 800 680-06**	1,894.40
	1x 27 714 970-06	630.40
	Total price:	**2,524.80**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 800 680 +
27 784 970

Two-hole mixer with individual rosettes with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 345 mm
- test
- height up to aerator 319 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

		Euro
polished chrome	**1x 32 800 680-00**	1,262.90
	1x 27 784 970-00	1,002.00
	Total price:	**2,264.90**
platinum matt	**1x 32 800 680-06**	1,894.40
	1x 27 784 970-06	1,503.40
	Total price:	**3,397.80**



Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 812 680

Two-hole mixer with individual rosettes

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 180 mm
- height up to aerator 155 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

		Euro
polished chrome	**32 812 680-00**	**1,167.50**
platinum matt	**32 812 680-06**	**1,751.20**



Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 812 680 +
27 714 970



Two-hole mixer with individual rosettes with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- automatic spout/shower diverter
- height of mixer 180 mm
- height up to aerator 155 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.

			Euro
polished chrome	**1x 32 812 680-00**	1,167.50
	1x 27 714 970-00	420.20
	Total price:	**1,587.70**
platinum matt	**1x 32 812 680-06**	1,751.20
	1x 27 714 970-06	630.40
	Total price:	**2,381.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 812 680 +
27 784 970



Two-hole mixer with individual rosettes with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 180 mm
- test
- height up to aerator 155 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

			Euro
polished chrome	**1x 32 812 680-00**	1,167.50
	1x 27 784 970-00	1,002.00
	Total price:	**2,169.50**
platinum matt	**1x 32 812 680-06**	1,751.20
	1x 27 784 970-06	1,503.40
	Total price:	**3,254.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 843 680



Two-hole mixer with cover plate

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 345 mm
- height up to aerator 319 mm
- cover plate 126 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- gauge 71 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**32 843 680-00**	**1,262.90**
platinum matt	**32 843 680-06**	**1,894.40**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 843 680 +
27 714 970



Two-hole mixer with cover plate with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 345 mm
- height up to aerator 319 mm
- cover plate 126 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- hole diameter rinsing spray 32mm
- gauge 71 mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 32 843 680-00**	1,262.90
	1x 27 714 970-00	420.20
	Total price:	**1,683.10**
platinum matt	**1x 32 843 680-06**	1,894.40
	1x 27 714 970-06	630.40
	Total price:	**2,524.80**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 843 680 +
27 784 970

Two-hole mixer with cover plate with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 345 mm
- test
- height up to aerator 319 mm
- cover plate 126 x 55 mm
- single-lever mixer hole diameter 44 mm
- hole diameter spout 35 mm
- profi spray hole diameter 30mm
- gauge 71 mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 32 843 680-00**	1,262.90
	1x 27 784 970-00	1,002.00
	Total price:	**2,264.90**
platinum matt	**1x 32 843 680-06**	1,894.40
	1x 27 784 970-06	1,503.40
	Total price:	**3,397.80**



Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 805 680

BAR TAP Two-hole mixer with individual rosettes

- **165 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 230 mm
- height up to laminar flow regulator 205 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 44 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

		Euro
polished chrome	**32 805 680-00**	**987.90**
platinum matt	**32 805 680-06**	**1,482.30**



Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

17 861 680



HOT & COLD WATER DISPENSER

- **145 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 235 mm
- height up to laminar flow regulator 215 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 680-00**	**1,060.10**
platinum matt	**17 861 680-06**	**1,590.20**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

36 820 680



Wall-mounted mixer with cover plate

- **220 mm projection**
- fixed spout
- air-enriched flow
- cover plate 178 x 78 mm
- max. flow 5.5 l/min at 3 bar flow pressure
- lead-free

Mixer can be placed above, to the left or to the right of the spout.

		Euro
polished chrome	**36 820 680-00**	**845.30**
platinum matt	**36 820 680-06**	**1,268.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 118

Concealed rough parts — **35 806 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on left

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 807 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer at top

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 808 970 90** — **239.20**

Required miscellaneous

Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above

For details see page 123

Drybox — **39 806 970 90** — **332.90**

Required miscellaneous

Extension 20 mm

For details see page 120

12 070 970 90 — **150.90**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details see page 120

Concealed rough parts — **35 816 970 90** — **273.60**

Maro

Sieger Design

All Professional Information can also be found at **www.dornbracht.com**.

33 800 795



Single-lever mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 339 mm
- height up to aerator 301 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 800 795-00**	**865.80**
platinum matt	**33 800 795-06**	**1,298.20**

Recommended miscellaneous

Dispenser without rosette

For details see page 110

		Euro
polished chrome	**82 427 970-00**	**282.40**
platinum matt	**82 427 970-06**	**423.60**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

33 826 795 +
27 714 970



Single-lever mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 339 mm
- height up to aerator 301 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 33 826 795-00**	923.00
	1x 27 714 970-00	420.20
	Total price:	**1,343.20**
platinum matt	**1x 33 826 795-06**	1,384.60
	1x 27 714 970-06	630.40
	Total price:	**2,015.00**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

33 826 795 +
27 784 970



Single-lever mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 339 mm
- test
- height up to aerator 301 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 826 795-00**	923.00
	1x 27 784 970-00	1,002.00
	Total price:	**1,925.00**
platinum matt	**1x 33 826 795-06**	1,384.60
	1x 27 784 970-06	1,503.40
	Total price:	**2,888.00**

Recommended miscellaneous

Dispenser without rosette

For details see page 110

		Euro
polished chrome	**82 427 970-00**	**282.40**
platinum matt	**82 427 970-06**	**423.60**

Recommended miscellaneous

Strainer waste with control handle

For details see page 109

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

32 800 795



Two-hole mixer with individual rosettes

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 339 mm
- height up to aerator 301 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

		Euro
polished chrome	**32 800 795-00**	**1,024.20**
platinum matt	**32 800 795-06**	**1,536.50**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 800 795 +
27 714 970



Two-hole mixer with individual rosettes with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 339 mm
- height up to aerator 301 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 32 800 795-00**	1,024.20
	1x 27 714 970-00	420.20
	Total price:	**1,444.40**
platinum matt	**1x 32 800 795-06**	1,536.50
	1x 27 714 970-06	630.40
	Total price:	**2,166.90**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

32 800 795 +
27 784 970



Two-hole mixer with individual rosettes with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 339 mm
- test
- height up to aerator 301 mm
- individual rosette 55 x 55 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

		Euro
polished chrome	**1x 32 800 795-00**	1,024.20
	1x 27 784 970-00	1,002.00
	Total price:	**2,026.20**
platinum matt	**1x 32 800 795-06**	1,536.50
	1x 27 784 970-06	1,503.40
	Total price:	**3,039.90**

Recommended miscellaneous

Dispenser with rosette

For details see page 110

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

Meta.02

Sieger Design

Modifications 2017

WATER DISPENSER **17 861 625-FF** is being added to the META 02 series.

All Professional Information can also be found at **www.dornbracht.com**.

33 810 625



Single-lever mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 350 mm
- height up to aerator 264 mm
- hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 810 625-00**	**563.60**
platinum matt	**33 810 625-06**	**845.50**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

---

33 820 625 +
27 719 970



Single-lever mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 352 mm
- height up to aerator 266 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

			Euro
polished chrome	**1x 33 820 625-00**	563.60
	1x 27 719 970-00	387.50
	Total price:	**951.10**
platinum matt	**1x 33 820 625-06**	845.50
	1x 27 719 970-06	581.20
	Total price:	**1,426.70**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 820 625 +
27 789 970



Single-lever mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 352 mm
- test
- height up to aerator 266 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 820 625-00**	563.60
	1x 27 789 970-00	945.80
	Total price:	**1,509.40**
platinum matt	**1x 33 820 625-06**	845.50
	1x 27 789 970-06	1,418.60
	Total price:	**2,264.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 800 625



Two-hole mixer

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 275 mm
- height up to aerator 180 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.

		Euro
polished chrome	**32 800 625-00**	**627.50**
platinum matt	**32 800 625-06**	**940.90**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 800 625 +
27 719 970

Two-hole mixer with rinsing spray set

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 275 mm
- height up to aerator 180 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 32 800 625-00**	627.50
	1x 27 719 970-00	387.50
	Total price:	**1,015.00**
platinum matt	**1x 32 800 625-06**	940.90
	1x 27 719 970-06	581.20
	Total price:	**1,522.10**



Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 800 625 +
27 789 970

Two-hole mixer with profi spray set

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 275 mm
- test
- height up to aerator 180 mm
- individual rosette diameter 55mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

		Euro
polished chrome	**1x 32 800 625-00**	627.50
	1x 27 789 970-00	945.80
	Total price:	**1,573.30**
platinum matt	**1x 32 800 625-06**	940.90
	1x 27 789 970-06	1,418.60
	Total price:	**2,359.50**



Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 815 625

Two-hole mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 345 mm
- height up to aerator 260 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Operating unit can be positioned freely.



		Euro
polished chrome	**32 815 625-00**	**696.40**
platinum matt	**32 815 625-06**	**1,044.40**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

32 815 625 +
27 719 970

Two-hole mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 345 mm
- height up to aerator 260 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

Residual water may emerge from the spray after closing.



		Euro
polished chrome	**1x 32 815 625-00**	696.40
	1x 27 719 970-00	387.50
	Total price:	**1,083.90**
platinum matt	**1x 32 815 625-06**	1,044.40
	1x 27 719 970-06	581.20
	Total price:	**1,625.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

Meta.02 Sieger Design

32 815 625 +
27 789 970



Two-hole mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 345 mm
- test
- height up to aerator 260 mm
- hole diameter spout 35 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Operating unit can be positioned freely.

			Euro
polished chrome	**1x 32 815 625-00**		696.40
	1x 27 789 970-00		945.80
		Total price:	**1,642.20**
platinum matt	**1x 32 815 625-06**		1,044.40
	1x 27 789 970-06		1,418.60
		Total price:	**2,463.00**

Recommended miscellaneous			Euro
Dispenser with rosette	polished chrome	**82 436 970-00**	**212.00**
For details see page 111	platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous			Euro
Strainer waste with control handle	polished chrome	**10 710 970-00**	**137.10**
For details see page 108	platinum matt	**10 710 970-06**	**205.50**

17 861 625



HOT & COLD WATER DISPENSER

- **145 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 248 mm
- height up to laminar flow regulator 184 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (137mm x 159mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 625-00**	**759.70**
platinum matt	**17 861 625-06**	**1,139.60**

Required miscellaneous

		Euro
Hot water tank incl. filter	**12 892 970 90**	**829.70**

For details see page 033

Recommended miscellaneous

			Euro
Single sink	matt high-grade steel	**38 001 000-86**	**1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous

			Euro
DRINKING PLATE	black	**84 710 000-13**	**157.60**

- for placing in the single sink

For details see page 116



mm

36 834 625



Wall-mounted mixer with individual rosettes

- **225 mm projection**
- pivoting spout
- air-enriched flow
- rosette for mixer Ø 78mm
- rosette for spout Ø 55mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Mixer can be placed above, to the left or to the right of the spout.

		Euro
polished chrome	**36 834 625-00**	**707.10**
platinum matt	**36 834 625-06**	**1,060.60**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 118

Concealed rough parts — **35 806 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on left

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 807 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer at top

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 808 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details see page 120

Concealed rough parts — **35 816 970 90** — **273.60**

Required miscellaneous

Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above

For details see page 123

Drybox — **39 806 970 90** — **332.90**

Required miscellaneous

Extension 20 mm

For details see page 120

12 070 970 90 — **150.90**

36 838 625



Wall-mounted mixer with individual rosettes

- **300 mm projection**
- pivoting spout
- air-enriched flow
- rosette for mixer Ø 78mm
- rosette for spout Ø 55mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Mixer can be placed above, to the left or to the right of the spout.

		Euro
polished chrome	**36 838 625-00**	**752.10**
platinum matt	**36 838 625-06**	**1,128.40**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 118

Concealed rough parts — **35 806 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on left

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 807 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer at top

- min. recess depth 59 mm
- max. recess depth 74 mm

For details see page 119

Concealed rough parts — **35 808 970 90** — **239.20**

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details see page 120

Concealed rough parts — **35 816 970 90** — **273.60**

Required miscellaneous

Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above

For details see page 123

Drybox — **39 806 970 90** — **332.90**

Required miscellaneous

Extension 20 mm

For details see page 120

12 070 970 90 — **150.90**

36 851 625



Wall-mounted mixer with individual rosettes with extending spout

- **495 mm projection**
- pivoting spout
- laminar flow
- rosette for mixer Ø 78mm
- rosette for spout Ø 55mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

Mixer can be placed above, to the left or to the right of the spout.

		Euro
polished chrome	**36 851 625-00**	**766.00**
platinum matt	**36 851 625-06**	**1,149.00**

Required miscellaneous

			Euro
Concealed wall-mounted single-lever mixer mixer on right • min. recess depth 59 mm • max. recess depth 74 mm For details see page 118	Concealed rough parts	**35 806 970 90**	**239.20**

Required miscellaneous

			Euro
Concealed wall-mounted single-lever mixer mixer on left • min. recess depth 59 mm • max. recess depth 74 mm For details see page 119	Concealed rough parts	**35 807 970 90**	**239.20**

Required miscellaneous

			Euro
Concealed wall-mounted single-lever mixer mixer at top • min. recess depth 59 mm • max. recess depth 74 mm For details see page 119	Concealed rough parts	**35 808 970 90**	**239.20**

Required miscellaneous

			Euro
Concealed wall-mounted single-lever mixer mixer on right **NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.** For details see page 120	Concealed rough parts	**35 816 970 90**	**273.60**

Required miscellaneous

			Euro
Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above For details see page 123	Drybox	**39 806 970 90**	**332.90**

Required miscellaneous

		Euro
Extension 20 mm For details see page 120	**12 070 970 90**	**150.90**

Tara Classic

Sieger Design

Modifications 2017

WATER DISPENSER **17 861 888-FF** is being added to the TARA CLASSIC series.
The single-lever mixer **33 855 888-FF** of the TARA CLASSIC series is affected by the removal of low-pressure single-lever mixers.

All Professional Information can also be found at **www.dornbracht.com**.

Tara Classic Sieger Design

33 800 888



Single-lever mixer

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 325 mm
- height up to aerator 180 mm
- hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 800 888-00**	**616.10**
platinum matt	**33 800 888-06**	**924.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 815 888



Single-lever mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 400 mm
- height up to aerator 230 mm
- hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**33 815 888-00**	**616.10**
platinum matt	**33 815 888-06**	**924.10**
Cyprum	**33 815 888-49**	**1,232.30**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

33 826 888 +
27 718 970



Single-lever mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 400 mm
- height up to aerator 230 mm
- single-lever mixer hole diameter 35 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 33 826 888-00**	604.80
	1x 27 718 970-00	405.20
	Total price:	**1,010.00**
platinum matt	**1x 33 826 888-06**	907.10
	1x 27 718 970-06	607.70
	Total price:	**1,514.80**
Cyprum	**1x 33 826 888-49**	1,209.50
	1x 27 718 970-49	810.30
	Total price:	**2,019.80**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

33 826 888 +
27 780 970



Single-lever mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 400 mm
- test
- height up to aerator 230 mm
- single-lever mixer hole diameter 35 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 33 826 888-00**	604.80
	1x 27 780 970-00	867.40
	Total price:	**1,472.20**
platinum matt	**1x 33 826 888-06**	907.10
	1x 27 780 970-06	1,301.10
	Total price:	**2,208.20**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

Tara Classic Sieger Design

17 861 888



HOT & COLD WATER DISPENSER

- **146 mm projection**
- rigid, thermally insulated spout
- laminar flow
- height of mixer 288 mm
- height up to laminar flow regulator 181 mm
- hole diameter 35 mm
- provides filtered, hot water up to 93°C
- provides filtered, cold water
- max. flow 2 l/min at 3 bar flow pressure
- ready-to-use control unit for wall mounting (135mm x 160mm x 60mm)
- electronic magnetic valve
- 100-230 V, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- lead-free

A minimum flow pressure of 3 bar is necessary for the HOT & COLD WATER DISPENSER to work perfectly in conjunction with a hot water tank and filter.

The filter cartridge must be changed every six months. The installation instructions contain further information for guidance.

All Professional Information and detailed planning information can be found at www.dornbracht.com

		Euro
polished chrome	**17 861 888-00**	**759.70**
platinum matt	**17 861 888-06**	**1,139.60**
Cyprum	**17 861 888-49**	**1,266.30**

Required miscellaneous — Euro

Hot water tank incl. filter — **12 892 970 90** — **829.70**

For details see page 033

Recommended miscellaneous — Euro

Single sink — matt high-grade steel — **38 001 000-86** — **1,428.10**

- **210 x 405 mm**
- **installation, on top or flush**

For details see page 098



Recommended miscellaneous — Euro

DRINKING PLATE — black — **84 710 000-13** — **157.60**

- for placing in the single sink

For details see page 116



mm

33 880 888

Profi single-lever mixer

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 415 mm
- test
- height up to aerator 275 mm
- hole diameter 35 mm
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.



			Euro
polished chrome	**33 880 888-00**	**1,278.50**
platinum matt	**33 880 888-06**	**1,917.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

33 880 889

Profi single-lever mixer with lever on left

- **200 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 415 mm
- test
- height up to aerator 275 mm
- hole diameter 35 mm
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.



			Euro
polished chrome	**33 880 889-00**	**1,278.50**
platinum matt	**33 880 889-06**	**1,917.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

Tara.

Sieger Design

All Professional Information can also be found at **www.dornbracht.com**.

22 815 892



Single-hole mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 378 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**22 815 892-00**	**432.70**
platinum matt	**22 815 892-06**	**649.10**
Cyprum	**22 815 892-49**	**865.50**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

19 815 892



Two-hole bridge mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 387 mm
- height up to aerator 229 mm
- hole diameter 30 mm
- gauge 200 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**19 815 892-00**	**757.60**
platinum matt	**19 815 892-06**	**1,136.80**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

20 815 892



Three-hole mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**20 815 892-00**	**811.80**
platinum matt	**20 815 892-06**	**1,217.90**
Cyprum	**20 815 892-49**	**1,623.80**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

20 815 892 +
27 718 970



Three-hole mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

			Euro
polished chrome	**1x 20 815 892-00**	811.80
	1x 27 718 970-00	405.20
	Total price:	**1,217.00**
platinum matt	**1x 20 815 892-06**	1,217.90
	1x 27 718 970-06	607.70
	Total price:	**1,825.60**
Cyprum	**1x 20 815 892-49**	1,623.80
	1x 27 718 970-49	810.30
	Total price:	**2,434.10**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

20 815 892 +
27 780 970



Three-hole mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- test
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 20 815 892-00**	811.80
	1x 27 780 970-00	867.40
	Total price:	**1,679.20**
platinum matt	**1x 20 815 892-06**	1,217.90
	1x 27 780 970-06	1,301.10
	Total price:	**2,519.00**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

20 815 882



Three-hole mixer

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**20 815 882-00**	**885.70**
platinum matt	**20 815 882-06**	**1,328.90**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

20 815 882 +
27 718 970



Three-hole mixer with rinsing spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**1x 20 815 882-00**	885.70
	1x 27 718 970-00	405.20
	Total price:	**1,290.90**
platinum matt	**1x 20 815 882-06**	1,328.90
	1x 27 718 970-06	607.70
	Total price:	**1,936.60**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

---

20 815 882 +
27 780 970



Three-hole mixer with profi spray set

- **235 mm projection**
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 370 mm
- test
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- profi spray hole diameter 30mm
- automatic spout/shower diverter
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**1x 20 815 882-00**	885.70
	1x 27 780 970-00	867.40
	Total price:	**1,753.10**
platinum matt	**1x 20 815 882-06**	1,328.90
	1x 27 780 970-06	1,301.10
	Total price:	**2,630.00**

Recommended miscellaneous

Dispenser with rosette

For details see page 111

		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**

Recommended miscellaneous

Strainer waste with control handle

For details see page 108

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**

31 151 892



Wall-mounted bridge mixer with extending spout

- **365-545 mm projection**
- pivoting spout
- laminar flow
- 1/2" connection
- max. flow 8 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**31 151 892-00**	**783.40**
platinum matt	**31 151 892-06**	**1,174.90**

30 151 892



Tap with pivotable spout with extending spout

- **315-485 mm projection**
- pivoting spout
- laminar flow
- cold water only
- rosette Ø 55 mm
- max. flow 19 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**30 151 892-00**	**405.00**
platinum matt	**30 151 892-06**	**607.50**

36 818 892



Wall-mounted sink mixer

- **300 mm projection**
- pivoting spout
- air-enriched flow
- slide-on rosettes Ø 55 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**36 818 892-00**	**904.90**
platinum matt	**36 818 892-06**	**1,357.30**
Cyprum	**36 818 892-49**	**1,809.70**

Required miscellaneous

Concealed wall-mounted mixer spout on left — Concealed rough parts — **35 713 970 90** — **236.90**

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 121

Required miscellaneous

Drybox Wall-mounted basin mixer Spout on left/right — Drybox — **39 713 970 90** — **332.90**

For details see page 123

Required miscellaneous

Concealed wall-mounted mixer Centred spout — Concealed rough parts — **35 707 970 90** — **236.90**

- min. recess depth 70 mm
- max. recess depth 135 mm

For details see page 121

Required miscellaneous

Drybox Wall-mounted basin mixer Centred spout — Drybox — **39 707 970 90** — **332.90**

For details see page 123

Required miscellaneous

Concealed wall-mounted mixer spout on right — Concealed rough parts — **35 714 970 90** — **236.90**

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 122

Required miscellaneous

Concealed wall-mounted mixer variable positioning — Concealed rough parts — **35 712 970 90** — **209.10**

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 122

36 819 892



Wall-mounted sink mixer with extending spout

- **325-495 mm projection**
- pivoting spout
- air-enriched flow
- rosette Ø 55 mm
- max. flow 20 l/min at 3 bar flow pressure
- lead-free

		Euro
polished chrome	**36 819 892-00**	**918.60**
platinum matt	**36 819 892-06**	**1,377.50**

Required miscellaneous

Concealed wall-mounted mixer spout on left

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 121

Concealed rough parts — **35 713 970 90** — **236.90**

Required miscellaneous

Drybox Wall-mounted basin mixer Spout on left/right

For details see page 123

Drybox — **39 713 970 90** — **332.90**

Required miscellaneous

Concealed wall-mounted mixer Centred spout

- min. recess depth 70 mm
- max. recess depth 135 mm

For details see page 121

Concealed rough parts — **35 707 970 90** — **236.90**

Required miscellaneous

Drybox Wall-mounted basin mixer Centred spout

For details see page 123

Drybox — **39 707 970 90** — **332.90**

Required miscellaneous

Concealed wall-mounted mixer spout on right

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 122

Concealed rough parts — **35 714 970 90** — **236.90**

Required miscellaneous

Concealed wall-mounted mixer variable positioning

- min. recess depth 65 mm
- max. recess depth 130 mm

For details see page 122

Concealed rough parts — **35 712 970 90** — **209.10**

Water Units

Sieger Design

Double Units

from page 096

Single Units

from page 098

Cutting Boards

page 105

WATER UNITS are the first separate Dornbracht series of sinks for the kitchen. The series includes overmount and undermount single sink variants, as well as double sinks, specifically developed for combining with Dornbracht fittings. All WATER UNITS are hand-made stainless steel sinks and their specific design is geared to the requirements of the different areas of activity in the kitchen. The dimensions of the CUTTING BOARDS are an exact fit for the WATER UNITS and there are two variants available: One is for putting into the sink, or there is a larger version for placing onto the sink. Placing the chopping boards into or onto the sinks allows them to be used as work surfaces and encourages ergonomic working, because of their close proximity to the water point.

Modifications 2017

Single sinks **38 030 000-86**/**38 031 000-86** and **38 050 000-86**/**38 051 000-86** will be withdrawn from the programme. Double sinks **38 511 000-86** and **38 521 000-86**, and cutting boards **84 750 000/84 751 000** in finish -48 (oak) will also be discontinued.

All Professional Information can also be found at **www.dornbracht.com**.

38 531 000



Double sink

- **installation, on top or flush**
- **930 x 405 mm**
- **sink depth 200 / 200mm**
- 3 1/2" closable strainer basket valve
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 1200 mm base units (2 x 600 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 531 000-86**	**3,735.70**

Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13** **231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48** **348.80**

- for placing on

For details see page 105

38 541 000



Double sink

- **installation, on top or flush**
- **1110 x 405 mm**
- **sink depth 200 / 200mm**
- 3 1/2" closable strainer basket valve
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 1200 mm base units (2 x 600 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 541 000-86**	**3,821.90**



Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13** **231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48** **348.80**

- for placing on

For details see page 105

38 561 000



Double sink

- **installation, on top or flush**
- **930 x 405 mm**
- **sink depth 200 / 40mm**
- 3 1/2" closable strainer basket valve
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 1000 mm base units (2 x 500 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 561 000-86**	**2,822.30**

Recommended miscellaneous

		Euro
Cutting board	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 571 000



Double sink

- **installation, on top or flush**
- **1110 x 405 mm**
- **sink depth 200 / 40mm**
- 3 1/2" closable strainer basket valve
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 1200 mm base units (2 x 600 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 571 000-86**	**3,296.80**

Recommended miscellaneous

		Euro
Cutting board	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

Recommended miscellaneous

		Euro
Cutting board with juice groove (carving board)	**84 750 000-13**	**176.50**

- for placing in

For details see page 105

Recommended miscellaneous

		Euro
Cutting board	**84 751 000-13**	**133.40**

- for placing in

For details see page 105

Water Units Sieger Design

38 001 000



Single sink

- **installation, on top or flush**
- **210 x 405 mm**
- **sink depth 40mm**
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste, without valve bridge
- attachment set
- suitable for 500 mm base units (2 x 250 mm)

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 001 000-86**	**1,428.10**

Recommended miscellaneous



		Euro
DRINKING PLATE	black	**84 710 000-13** **157.60**

- for placing in the single sink

For details see page 116

38 000 000



Single sink

- **under-mounted**
- **210 x 405 mm**
- **sink depth 40mm**
- 3 1/2" non-lockable strainer basket valve
- complete pop-up waste, without valve bridge
- attachment set
- suitable for 500 mm base units (2 x 250 mm)

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 000 000-86**	**1,187.20**

Recommended miscellaneous



		Euro
DRINKING PLATE	black	**84 710 000-13** **157.60**

- for placing in the single sink

For details see page 116

38 041 000



Single sink

- **installation, on top or flush**
- **390 x 405 mm**
- **sink depth 150mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 500 mm base units (2 x 250 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 041 000-86**	**1,570.00**

Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 040 000



Single sink

- **under-mounted**
- **390 x 405 mm**
- **sink depth 150mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 500 mm base units (2 x 250 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 040 000-86**	**1,307.60**

Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

Water Units Sieger Design

38 061 000



Single sink

- **installation, on top or flush**
- **450 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 550 mm base units (2 x 275 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 061 000-86**	**1,585.80**

Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13** **231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48** **348.80**

- for placing on

For details see page 105

38 060 000



Single sink

- **under-mounted**
- **450 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 550 mm base units (2 x 275 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 060 000-86**	**1,406.60**



Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13** **231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48** **348.80**

- for placing on

For details see page 105

38 081 000



Single sink

- **installation, on top or flush**
- **510 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 600 mm base units (2 x 300 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 081 000-86**	**1,730.00**

Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 080 000



Single sink

- **under-mounted**
- **510 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 600 mm base units (2 x 300 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 080 000-86**	**1,541.00**



Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 091 000



Single sink

- **installation, on top or flush**
- **570 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 800 mm base units (2 x 400 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 091 000-86**	**1,758.60**

Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 090 000



Single sink

- **under-mounted**
- **570 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 800 mm base units (2 x 400 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 090 000-86**	**1,571.10**

Recommended miscellaneous

		Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 101 000



Single sink

- **installation, on top or flush**
- **750 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 900 mm base units (2 x 450 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 101 000-86**	**1,826.10**

Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 100 000



Single sink

- **under-mounted**
- **750 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 900 mm base units (2 x 450 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 100 000-86**	**1,638.50**

Recommended miscellaneous

			Euro
Cutting board	black	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

			Euro
Cutting board	oak	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 111 000



Single sink with tap hole bank

- **installation, on top or flush**
- **510 x 510 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 600 mm base units (2 x 300 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 111 000-86**	**1,845.00**

Recommended miscellaneous

		Euro
Cutting board	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

38 401 000



Single sink with drainer

- **installation, on top or flush**
- **1110 x 405 mm**
- **sink depth 200mm**
- 3 1/2" closable strainer basket valve
- complete pop-up waste and overflow set with valve bridge
- attachment set
- suitable for 1200 mm base units (2 x 600 mm)

Strainer waste not included in the scope of supply.

NOTE: This item is conditioned separately.

		Euro
matt high-grade steel	**38 401 000-86**	**2,819.20**

Recommended miscellaneous

		Euro
Cutting board	**84 700 000-13**	**231.80**

- for placing on

For details see page 105



Recommended miscellaneous

		Euro
Cutting board	**84 700 000-48**	**348.80**

- for placing on

For details see page 105

84 700 000



Cutting board

- **plastic 440 x 440 x 30mm**
- non-slip
- kind to knives
- dishwasher-safe
- for placing over the sink
- pack with colour marking pegs (black, red, blue, green, yellow)
- can be combined with all Water Units

NOTE: This item is conditioned separately.

		Euro
black	**84 700 000-13**	**231.80**

84 700 000



Cutting board

- **wood 440 x 440 x 30mm**
- oiled oak
- non-slip
- kind to knives
- not dishwasher-safe
- for placing over the sink
- pack with colour marking pegs (black, red, blue, green, yellow)
- can be combined with all Water Units

NOTE: This item is conditioned separately.

		Euro
oak	**84 700 000-48**	**348.80**

84 750 000

Cutting board with juice groove (carving board)

- **plastic 335 x 500 x 23mm**
- all-round juice groove
- non-slip
- kind to knives
- dishwasher-safe
- to match chopping board 84 751 000

for placing in the sink (38 571 000-86)

NOTE: This item is conditioned separately.

		Euro
black	**84 750 000-13**	**176.50**

84 751 000

Cutting board

- **plastic 335 x 500 x 23mm**
- non-slip
- kind to knives
- dishwasher-safe
- pack with colour marking pegs (black, red, blue, green, yellow)

for placing in the sink (38 571 000-86)

NOTE: This item is conditioned separately.

		Euro
black	**84 751 000-13**	**133.40**

Generic miscellaneous

Modifications 2017

Electric strainer wastes **10 731 970-FF** and **10 730 970-FF** will be withdrawn from the programme.

All Professional Information can also be found at **www.dornbracht.com**.

Generic miscellaneous

10 710 970



Strainer waste with control handle

- control for single basin
- including adapter for Bowden cable

		Euro
polished chrome	**10 710 970-00**	**137.10**
platinum matt	**10 710 970-06**	**205.50**
Cyprum	**10 710 970-49**	**274.00**

10 711 970



Strainer waste with control handle

- control for single basin
- including adapter for Bowden cable

		Euro
polished chrome	**10 711 970-00**	**137.10**
platinum matt	**10 711 970-06**	**205.50**

10 712 970



Strainer waste with control handle

- control for single basin
- including adapter for Bowden cable

		Euro
polished chrome	**10 712 970-00**	**137.10**
platinum matt	**10 712 970-06**	**205.50**

10 713 970



AIR SWITCH Control button

- for controlling a waste disposal unit

Compatible with waste disposal units with integrated air switch made by Insinkerator®, e.g. Evolution.

The products are not available in all markets, please contact your Dornbracht sales force.

For more information go to www.insinkerator.com

		Euro
polished chrome	**10 713 970-00**	**96.60**
platinum matt	**10 713 970-06**	**144.90**
Cyprum	**10 713 970-49**	**193.30**

10 714 970



AIR SWITCH Control button

- for controlling a waste disposal unit

Compatible with waste disposal units with integrated air switch made by Insinkerator®, e.g. Evolution.

The products are not available in all markets, please contact your Dornbracht sales force.

For more information go to www.insinkerator.com

		Euro
polished chrome	**10 714 970-00**	**96.60**
platinum matt	**10 714 970-06**	**144.90**

Generic miscellaneous

82 437 970

Dispenser with rosette

- **121 mm projection**
- 500ml bottle
- can be filled from the top
- height 136 mm
- hole diameter 25 mm

		Euro
polished chrome	**82 437 970-00**	**327.40**
platinum matt	**82 437 970-06**	**491.00**



Recommended miscellaneous		Euro
Immersion tube 185 mm	**08 10 10 495 90**	**16.10**

Recommended miscellaneous		Euro
Bottle	**08 10 10 603 90**	**16.10**

Recommended miscellaneous			Euro
Dispenser	polished chrome	**90 10 10 516 00-00**	**170.70**
	platinum matt	**90 10 10 516 00-06**	**293.60**

82 427 970

Dispenser without rosette

- **121 mm projection**
- 500ml bottle
- can be filled from the top
- height 136 mm
- hole diameter 25 mm

		Euro
polished chrome	**82 427 970-00**	**282.40**
platinum matt	**82 427 970-06**	**423.60**



Recommended miscellaneous		Euro
Immersion tube 185 mm	**08 10 10 495 90**	**16.10**

Recommended miscellaneous		Euro
Bottle	**08 10 10 603 90**	**16.10**

Recommended miscellaneous			Euro
Dispenser	polished chrome	**90 10 10 516 00-00**	**170.70**
	platinum matt	**90 10 10 516 00-06**	**293.60**

82 438 970

Dispenser with rosette

- **109 mm projection**
- 500ml bottle
- can be filled from the top
- rotating pump head
- height 124 mm
- hole diameter 25 mm



		Euro
polished chrome	**82 438 970-00**	**242.50**
platinum matt	**82 438 970-06**	**363.40**

Recommended miscellaneous

		Euro
Immersion tube 185 mm	**08 10 10 495 90**	**16.10**

Recommended miscellaneous

		Euro
Bottle	**08 10 10 603 90**	**16.10**

Recommended miscellaneous

		Euro
Dispenser	polished chrome **90 10 10 518 00-00**	**126.30**
	platinum matt **90 10 10 518 00-06**	**221.30**

82 436 970

Dispenser with rosette

- **109 mm projection**
- 500ml bottle
- can be filled from the top
- rotating pump head
- height 124 mm
- rosette Ø 55 mm
- hole diameter 25 mm



		Euro
polished chrome	**82 436 970-00**	**212.00**
platinum matt	**82 436 970-06**	**317.90**
Cyprum	**82 436 970-49**	**423.80**

Recommended miscellaneous

		Euro
Immersion tube 185 mm	**08 10 10 495 90**	**16.10**

Recommended miscellaneous

		Euro
Bottle	**08 10 10 603 90**	**16.10**

Recommended miscellaneous

		Euro
Dispenser	polished chrome **90 10 10 518 00-00**	**126.30**
	platinum matt **90 10 10 518 00-06**	**221.30**
	Cyprum **90 10 10 518 00-49**	**221.30**

Generic miscellaneous

82 426 970

Dispenser without rosette

- **124 mm projection**
- 500ml bottle
- can be filled from the top
- rotating pump head
- height 125 mm
- width 30mm
- hole diameter 25 mm



		Euro
polished chrome	**82 426 970-00**	**194.60**
platinum matt	**82 426 970-06**	**291.90**

Recommended miscellaneous		Euro
Immersion tube 185 mm	**08 10 10 495 90**	**16.10**

Recommended miscellaneous		Euro
Bottle	**08 10 10 603 90**	**16.10**

Recommended miscellaneous			Euro
Dispenser	polished chrome	**90 10 10 518 00-00**	**126.30**
	platinum matt	**90 10 10 518 00-06**	**221.30**

82 435 970

Dispenser with rosette

- **100 mm projection**
- 500ml bottle
- can be filled from the top
- rotating pump head
- height 80 mm
- rosette Ø 50 mm
- hole diameter 25 mm



		Euro
polished chrome	**82 435 970-00**	**157.60**
platinum matt	**82 435 970-06**	**236.50**

Recommended miscellaneous		Euro
Immersion tube	**05 10 10 497 00 90**	**16.10**

Recommended miscellaneous		Euro
Bottle	**08 10 10 600 90**	**28.90**

Recommended miscellaneous			Euro
Dispenser	polished chrome	**90 10 10 510 00-00**	**101.10**
	platinum matt	**90 10 10 510 00-06**	**170.70**

27 714 970



Rinsing spray set

- spray flow
- automatic spout/shower diverter
- height of mixer 161 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the MARO and LOT series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**27 714 970-00**	**420.20**
platinum matt	**27 714 970-06**	**630.40**

27 719 970



Rinsing spray set

- spray flow
- automatic spout/shower diverter
- height of mixer 161 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the TARA ULTRA, ELIO and META.02 series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**27 719 970-00**	**387.50**
platinum matt	**27 719 970-06**	**581.20**

Generic miscellaneous

27 718 970



Rinsing spray set

- spray flow
- automatic spout/shower diverter
- height of mixer 160 mm
- hole diameter rinsing spray 32mm
- fabric braided hose 1500mm
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the TARA CLASSIC and TARA series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

Residual water may emerge from the spray after closing.

		Euro
polished chrome	**27 718 970-00**	**405.20**
platinum matt	**27 718 970-06**	**607.70**
Cyprum	**27 718 970-49**	**810.30**

27 784 970



Profi spray set

- spray flow
- automatic diverter for spout/Profi spray set
- height of mixer 665 mm
- individual rosette 55 x 55 mm
- profi spray hole diameter 30mm
- alternatively for use with or without rosette
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the MARO and LOT series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**27 784 970-00**	**1,002.00**
platinum matt	**27 784 970-06**	**1,503.40**

27 789 970



Profi spray set

- spray flow
- automatic diverter for spout/Profi spray set
- height of mixer 665 mm
- individual rosette diameter 55mm
- profi spray hole diameter 30mm
- alternatively for use with or without rosette
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the TARA ULTRA, ELIO and META.02 series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**27 789 970-00**	**945.80**
platinum matt	**27 789 970-06**	**1,418.60**

27 780 970



Profi spray set

- spray flow
- automatic diverter for spout/Profi spray set
- height of mixer 665 mm
- profi spray hole diameter 30mm
- sprayface with anti-scaling system
- lead-free

for combining with the fittings of the TARA CLASSIC and TARA series

Intrinsic protection against back flow.

Recommended minimum flow pressure: 2.5 bar.

		Euro
polished chrome	**27 780 970-00**	**867.40**
platinum matt	**27 780 970-06**	**1,301.10**

Generic miscellaneous

12 715 970

Cover for tap hole

		Euro
polished chrome	**12 715 970-00**	**30.60**
platinum matt	**12 715 970-06**	**48.90**

84 710 000

DRINKING PLATE

- **plastic 177 x 177 x 40mm**
- for placing in the sink (38 001 000-86 / 38 000 000-86)
- grid element (chrome)

NOTE: This item is conditioned separately.

		Euro
black	**84 710 000-13**	**157.60**

04 31 20 067 00

Plug closable by hand

- 3 1/2" lockable strainer basket valve (without control)

		Euro
matt high-grade steel	**04 31 20 067 00-86**	**26.00**

Concealed articles

Drybox

from page 123

All Professional Information can also be found at **www.dornbracht.com**.

Concealed articles

35 086 970



POT FILLER Concealed wall elbow

- female thread 1/2" connection
- 1x female thread 1/2" outlet
- twist protection
- anti-water packing
- soundproofing
- min. recess depth 70 mm
- max. recess depth 96 mm

		Euro
Concealed rough parts	**35 086 970 90**	**87.90**

35 806 970



Concealed wall-mounted single-lever mixer mixer on right

- red brass, lead-free
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- cartridge
- dust cover
- soundproofing
- gauge 100 mm

		Euro
Concealed rough parts	**35 806 970 90**	**239.20**

Required miscellaneous

		Euro
Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above	Drybox **39 806 970 90**	**332.90**

For details see page 123

Recommended miscellaneous

		Euro
Extension 40 mm	**12 074 970 90**	**170.70**

35 807 970



Concealed wall-mounted single-lever mixer mixer on left

- red brass, lead-free
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- cartridge
- dust cover
- soundproofing
- gauge 100 mm

		Euro
Concealed rough parts	**35 807 970 90**	**239.20**

Required miscellaneous

			Euro
Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above	Drybox	**39 806 970 90**	**332.90**

For details see page 123

Recommended miscellaneous

		Euro
Extension 40 mm	**12 074 970 90**	**170.70**

35 808 970



Concealed wall-mounted single-lever mixer mixer at top

- red brass, lead-free
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- cartridge
- dust cover
- soundproofing
- gauge 100 mm

		Euro
Concealed rough parts	**35 808 970 90**	**239.20**

Required miscellaneous

			Euro
Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above	Drybox	**39 806 970 90**	**332.90**

For details see page 123

Recommended miscellaneous

		Euro
Extension 40 mm	**12 074 970 90**	**170.70**

Concealed articles

12 070 970

Extension 20 mm

		Euro
	12 070 970 90	**150.90**

12 071 970

Extension 50 mm



		Euro
polished chrome	**12 071 970-00**	**170.70**
platinum matt	**12 071 970-06**	**303.70**

35 816 970

Concealed wall-mounted single-lever mixer mixer on right

- 2x female thread 1/2" connections
- 2x 1/2" x 1000mm high pressure hose
- 1x female thread 1/2" outlet for wall spout
- cartridge
- gauge 100 mm
- lead-free

Recommended combination for this fitting:Rear walls with- wall thickness: 12-16 mm- spout hole diameter: 40 mm- mixer hole diameter: 58 mm- clear width behind wall: 25 mm

NOTE:Not suitable for concealed installation. Connection by means of angle valves, mounted with screws to back wall.



		Euro
Concealed rough parts	**35 816 970 90**	**273.60**

35 707 970

Concealed wall-mounted mixer Centred spout

- 3x dust cover
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet
- 3x sealing plug 1/2"
- gauge 100 mm
- lead-free



			Euro
Concealed rough parts		**35 707 970 90**	**236.90**

Required miscellaneous

			Euro
Drybox Wall-mounted basin mixer Centred spout	Drybox	**39 707 970 90**	**332.90**

For details see page 123

35 713 970

Concealed wall-mounted mixer spout on left

- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm



			Euro
Concealed rough parts		**35 713 970 90**	**236.90**

Required miscellaneous

			Euro
Drybox Wall-mounted basin mixer Spout on left/right	Drybox	**39 713 970 90**	**332.90**

For details see page 123

Concealed articles

35 714 970



Concealed wall-mounted mixer spout on right

- red brass, lead-free
- 2x female thread 1/2" connections
- 3x female thread 1/2" outlet
- 3x sealing plug 1/2"
- 3x dust cover
- soundproofing
- gauge 100 mm

		Euro
Concealed rough parts	**35 714 970 90**	**236.90**

Required miscellaneous

		Euro
Drybox Wall-mounted basin mixer Spout on left/right	Drybox **39 713 970 90**	**332.90**

For details see page 123

35 712 970



Concealed wall-mounted mixer variable positioning

- red brass, lead-free
- 1/2" connection
- 3x sealing plug 1/2"
- 3x dust cover

		Euro
Concealed rough parts	**35 712 970 90**	**209.10**

Required miscellaneous

		Euro
Drybox Wall-mounted basin mixer Centred spout	Drybox **39 707 970 90**	**332.90**

For details see page 123

39 806 970 Drybox **Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above**

		Euro
Drybox	**39 806 970 90**	**332.90**

Required miscellaneous

Extension 20 mm **12 070 970 90** **150.90**

For details see page 120

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on right Concealed rough parts **35 806 970 90** **239.20**

For details see page 118

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer on left Concealed rough parts **35 807 970 90** **239.20**

For details see page 119

Required miscellaneous

Concealed wall-mounted single-lever mixer mixer at top Concealed rough parts **35 808 970 90** **239.20**

For details see page 119

39 713 970 Drybox **Drybox Wall-mounted basin mixer Spout on left/ right**

		Euro
Drybox	**39 713 970 90**	**332.90**

Required miscellaneous

Concealed wall-mounted mixer spout on left Concealed rough parts **35 713 970 90** **236.90**

For details see page 121

Required miscellaneous

Concealed wall-mounted mixer spout on right Concealed rough parts **35 714 970 90** **236.90**

For details see page 122

39 707 970 Drybox **Drybox Wall-mounted basin mixer Centred spout**

		Euro
Drybox	**39 707 970 90**	**332.90**

Required miscellaneous

Concealed wall-mounted mixer Centred spout Concealed rough parts **35 707 970 90** **236.90**

For details see page 121

12 010 970 Drybox **Leak protection 1/2"**

- coupling, male thread 1/2" x male thread 1/2"
- rubber sleeve
- plastic cap
- conical nut 1/2" with cutting ring for 15 mm PEX pipe

		Euro
Leak protection	**12 010 970 90**	**45.00**

General information

Customisation of your Dornbracht fittings and accessories

From its very inception, Dornbracht, the fittings manufacturer, has never been a fittings manufacturer in the conventional sense. Our history now extends for over 60 years, during which we have abandoned the conventional routes time and again and have established ourselves with the reputation of a specialist for high quality and, above all, individual fittings and accessories for the bathroom and kitchen. With each of our fittings we also document our fascination for perfect manufacturing work. We use traditional craftsmanship as the basis for the very highest quality possible today – a combination of function, form and quality production for every single product design. Work at Dornbracht is not so much a matter of mechanics, but more a matter of mental or even emotional qualities. Every individual employee must be in love with every single one of our fittings, because that is the only way we can explain their great attention to detail and their continuous search for an even more perfect solution, that is a particular characteristic of our x-TRA SERVICE department. Many clever, precisely coordinated steps result in the aforementioned products that our customers expect from us.

Special production

If, when the kitchen is being planned, it emerges that the size of a fitting or an accessory is not a perfect fit for the architecture, our x-TRA SERVICE can make extensions and reductions, provided this is technically feasible.

Special finishes

Even if a certain finish is not listed in the catalogue for a Dornbracht fitting, the x-TRA SERVICE can refine every series in every finish and colour featured in the latest Dornbracht programme. Additional finishes and colours can be implemented on request, if production proves viable.

Surface finishing

To ensure that even the products not supplied by Dornbracht match the chosen fitting in the kitchen, the x-TRA SERVICE provides a finish refinement service. These products are then given the same finish as the fitting from the current product programme. This service is often also used for renovating kitchens using existing fitting elements.

Maintaining the value

To maintain our customers' pleasure in their Dornbracht classics for as long as possible, the x-TRA SERVICE offers the complete restoration of function and individual finishing for fittings which are no longer available, up to ten years after the series has been discontinued. For example, if the finish is dull and scratched, it will be ground, polished and galvanised until it gleams as good as new.

Special labelling

Our x-TRA SERVICE can personalise our products with special labelling, irrespective of quantity.

eCustomizing

The digital solutions offer a wide range of possibilities to realise your individual requirements. A personal shower system or arranging your bath, spa and kitchen fittings in a special way – there are so many possibilities. We would be very happy to examine your request and compile a customised quote.

Services

Sales team Personal advice and guidance on all commercial matters. Intensive support covering every aspect of selling.	Phone +49 (0) 2371 433-460	Fax +49 (0) 2371 433-135 Fax +49 (0) 2371 433-5506 Fax +49 (0) 2371 433-5507 E-Mail mail@dornbracht.de
x-tra Service Individual made-to-order productions and special finishes to suit your need.	Phone +49 (0) 2371 433-460	E-Mail mail@dornbracht.de
Spare part service	Phone +49 (0) 2371 433-460	E-Mail mail@dornbracht.de

You can contact our Service Centre from Monday to Thursday between 07:00 to 18:00 and on Fridays between 07:00 and 15:30.

Terms and Conditions of Sale, Delivery and Payment

1. General

1.1. The following terms apply exclusively to all our quotations, sales and deliveries both now and in the future. We do not accept purchasers' terms of business which conflict with or differ from our Terms and Conditions unless we have expressly agreed to them in writing. This also applies in cases where we execute in the knowledge of the conflicting or differing Terms and Conditions of the purchaser or a third party delivery to the purchaser unconditionally or refer to a letter or document of the purchaser containing conflicting or differing Terms and Conditions of the latter or of a third party or refer to them without objecting to the Terms and Conditions concerned. Differing arrangements apply only to a specific contract and not to subsequent contracts, save where expressly otherwise agreed.

1.2. All agreements, subsidiary agreements and contractual amendments must be made in writing. To be effective, verbal or written agreements deviating from our contractual conditions and/or the order confirmation must be approved by the proper number of directors or authorised officers. Our office staff or field staff are not authorised to make differing agreements or grant special conditions.

2. Information, advice

Information and advice given on our products are based on our previous experience. The figures quoted are average values found. Information and advice do not obviate the need for acceptance tests on goods supplied or compliance with processing instructions. Information given verbally is not binding.

3. Quotation, contract signature

3.1. Our quotations are made without engagement. A supply contract or other contract becomes binding on us only when we have confirmed the customer's order or other order in writing or have delivered the goods.

3.2. Samples and specimens are supplied without engagement for inspection purposes. A purchase according to sample and/or specimen is subject to commercially acceptable deviations or those falling within normal manufacturing tolerances. Unless expressly specified in the order confirmation, the supply of patterns or samples dœs not constitute a guarantee of quality or service life.

3.3. Samples and specimens must be returned to us in perfect condition within 4 weeks. If they are not returned within this period we shall be entitled to charge the list purchase price. Price lists are available on request at any time.

3.4. Save where expressly otherwise agreed, the information provided by us in text or illustrated form (e.g. descriptions, illustrations or drawings) in catalogues, brochures or other publications conclusively define the quality of the goods we supply and their potential applications. The information we provide is not a guarantee of service life or quality and corresponds to our current state of knowledge. We accept no liability for successful use.

4. Prices

4.1. All prices agreed are net exclusive of VAT, which the purchaser must pay at the relevant statutory rate.

4.2. A minimum quantity surcharge of € 5.00 will be made on orders with a net merchandise value of under € 50.00.

4.3. If there is any increase in our sundry material procurement costs, energy costs or labour costs/incidental wage costs between the date of order confirmation and the date of delivery, we shall be entitled to adjust the agreed price accordingly. The purchaser will be entitled to cancel the contract with immediate effect if the price rise exceeds 5 %, but no later than within 10 days of the price increase becoming known to purchaser.

5. Delivery

5.1. The delivery periods will begin on the date of our order confirmation, but not before any agreed down payment has been received, all of the purchaser's other obligations have been duly and punctually fulfilled and not before all the order details have been finally clarified, the requisite certificates procured and/or all necessary documents provided. The delivery period is deemed to have been met if the goods have left our factory or warehouse before this period has expired, or have been notified as ready for delivery but cannot then be forwarded on time for reasons beyond our control. Delivery dates are deemed to be approximate where there is no provision to the contrary and do not constitute a fixed transaction without a specific agreement to this effect. The purchaser is to inform us no later than at the time of conclusion of contract of any contractual default penalties that may be due vis-à-vis his customer in case of late delivery. Without such prior notification, the purchaser may not assert vis-à-vis us any claims arising from contractual default penalties he may incur.

5.2. When a delivery date not expressly designated as „fixed" in the order confirmation is overrun, the purchaser may set a reasonable extension period for delivery. We can only be in default on expiry of this extension period.

5.3. Without prejudice to our rights arising from delays in payment by the purchaser, delivery dates will be extended by the period of time that the purchaser fails to honour his obligations towards us.

5.4. We reserve the right to make proper and timely self-supply if irregular self-supply is beyond our control.

5.5. Unforeseen, exceptional circumstances beyond our control such as strikes, lock-outs and other industrial action, operational breakdown e.g. due to fire and similar occurrences, difficulties in the sourcing of materials and energy, lack of labour resources, energy and raw materials, government action, transport disruption, difficulties in the obtaining of permits with specific regard to import and export licences or other instances of force majeure beyond our control and area of influence, irrespective of whether we or our suppliers are affected by such circumstances or whether they occur during an ongoing delay, the period of delivery is to be extended by the duration of the disruption in addition to a reasonable start-up period. Should the delay/disruption not to be of a temporary nature and should delivery subsequently become impossible or compliance with the contract unreasonable for one party as a result, either party will be entitled to terminate the contract. Claims for compensation are excluded in such cases where neither party is to blame.

5.6. Our liability for loss due to delay arising from slightly negligent breach of duty is excluded, save where the breach of duty results in damage to life, limb or health. A change in the burden of proof to the disadvantage of the purchaser has no connection with this provision.

5.7. Should liability for loss due to delay arise not only from slightly negligent breach of duty, the purchaser may, insofar as he proves the existence of damage due to delay and subject to the exclusion of further claims, only claim compensation amounting to 0.5 % for each full week of delay, up to a maximum of 5 % in total, of the value of that part of the total delivery which owing to the delay could not be used on time or for its contractual purpose.

5.8. We shall be entitled to make part deliveries where acceptable to the purchaser. Part deliveries may be invoiced separately.

6. Forwarding, passage of risk

6.1. Delivery will be ex works (Iserlohn) unless otherwise agreed. If Incoterms have been agreed as delivery terms, the version applicable on the date of contract signature shall apply.

6.2. If at the purchaser's request the goods have been forwarded to a place other than the place of performance, the purchaser will meet all the costs thereby incurred. The choice of transit route and carrier will be at our discretion. We and the carrier must be notified in writing by the purchaser of the type and extent of any transit damage immediately on receipt of the goods. Goods will only be insured against damage, loss or breakage in transit at the purchaser's express request and at his expense.

6.3. Forwarding and transportation are always at the purchaser's risk when goods are supplied ex works. This is also applicable if we make delivery to a third party (drop shipment deliveries) and when goods or empties (reusable packaging) are returned. Even when part deliveries are made, the risk will pass to the purchaser as soon as the consignment has been transferred to the carrier or has left our warehouse for forwarding or, in the case of delivery ex works, has left our plant.

6.4. For drop shipment deliveries we add a surcharge of 10% on the net value of the goods.

6.5. If forwarding is delayed due to circumstances for which the purchaser is responsible, or if the purchaser himself is arranging transportation, the risk will pass to the purchaser on notification that the goods are ready for dispatch. The purchaser must meet storage charges incurred after the passage of risk. The monthly storage charge for goods stored to our factory or warehouse will be 0.5% of the invoiced amount. We reserve the right to make higher storage charges subject to proof. Once a reasonable period of time has elapsed to no effect, we shall be entitled to otherwise dispose of the goods and to supply the purchaser within a reasonably extended period.

7. Payment

7.1. Payment must be made in Euro (€) and must be free of charges and postage. It must be remitted only to the bank indicated by us. Checks will only be valid as payment after encashment and are accepted without obligation for due presentation and protestation.

7.2. Unless expressly otherwise agreed, invoices must be paid within 10 days of the invoice date at a 2 % discount and within 30 days of the invoice date with no deduction. There will be no discount entitlement if previous outstanding invoices remain unpaid.

7.3. When the period allowed for payment has been exceeded we shall be entitled to charge interest at 8 % p.a. above the basic interest rate (Section 247 of the German Civil Code [BGB]). All our outstanding accounts will also become due immediately.

7.4. The offsetting of any counterclaims by the purchaser is permissible only if such counterclaims are undisputed or established in law. The purchaser may at most withhold a sum amounting to three times the cost of subsequent performance due to deficiency. When exercising his right of retention the purchaser agrees to pay us security of our choice to the amount of the unpaid portion by bank guarantee or by depositing it with a notary of his choosing, whichever we choose.

8. Reservation of title

8.1. All goods delivered shall remain our property (reserved-title goods) pending settlement of all outstanding accounts on any legal grounds whatsœver, including all future and conditional claims arising from contracts signed simultaneously or subsequently. The same shall apply if payments are made on specially designated accounts outstanding. Should there be justifiable grounds for assuming that a purchaser is unable to pay or that such inability is impending, we shall be entitled to terminate the contract without notice and to demand restitution of the goods.

8.2. Reserved-title goods are manufactured and processed on our behalf as manufacturers in accordance with Section 950 BGB without incurring any obligation on our part. Processed goods are deemed to be reserved-title goods as defined in para. 8.1. If the reserved-title goods are processed, interconnected, mingled or mixed with supplied goods by the purchaser, we shall be entitled to co-ownership of the new goods to the ratio of the invoice value of the reserved-title goods. Should our title cease as a result of the combination or inclusion, the purchaser agrees with immediate effect to assign to us his title or expectant rights in the new goods or object to the extent of the invoice value of the reserved-title goods and to retain same on our behalf at no charge. The co-ownership rights at issue shall be deemed to be reserved-title goods as defined in para. 8.1.

8.3. The purchaser may sell on, process or combine the reserved-title goods with other items or otherwise install them (resale) only as part of his normal business operations and as long as he is not in default. He shall not be entitled to dispose of the reserved-title goods in any other manner. We must be informed immediately of any third party seizure or other access to the reserved-title goods.

8.4. The purchaser agrees with immediate effect to assign to us his claims arising from the resale of the reserved-title goods. These rights shall be considered as security to the same extent as the reserved-title goods. The purchaser will only be entitled and authorised to resell on the assurance that the claims thereby owed him are transferred to us.

8.5. If the reserved-title goods are sold by the purchaser at an inclusive price together with third-party

goods, the claims arising from the sale shall be assigned to us in the same ratio as the invoice value of our reserved-title goods sold in each case.

8.6. If the claim assigned is included in a current account, the purchaser hereby assigns to us a part of the balance corresponding to the amount of this claim inclusive of the final balance from the current account.

8.7. The purchaser will be entitled to collect the claim assigned us until such time as we revoke. We shall be entitled to revoke if the purchaser fails to meet his payment obligations arising from the business transactions with us or if we become aware of circumstances likely to substantially lessen the purchaser's credit worthiness. If the conditions are such that we wish to exercise our right to revoke, the purchaser must on request inform us forthwith of the claims assigned and the debtors thereof, provide all the information necessary to collect the debt, hand over the associated documents to us and notify the debtor of the assignment. The buyer is not authorised to assign any claims, not even on the basis of our direct debit authorisation.

8.8. Should the realizable value (invoice amount of goods or nominal amount of the receivables) exceed 50% of the securities existing for us, we are obliged to release securities of our own choice upon the purchaser's demand.

8.9. Our assertion of reservation of title shall not constitute revocation of the contract unless we expressly state this in writing. The purchaser's right to own the reserved-title goods shall lapse if he fails to perform his obligations under this or any other contract.

9. Liability for faulty goods

9.1. We do not accept liability for unsuitable or improper use, particularly excessive loading, faulty assembly or faulty operation by the purchaser or third parties, natural wear and tear, faulty or negligent usage or handling, particularly by untrained staff.

9.2. The purchaser agrees to inspect deliveries carefully for completeness and adequacy immediately on receipt – even if patterns or samples were previously supplied. The delivery is deemed to have been accepted if a deficiency has not been reported to us by letter, telex or fax within 10 working days of the goods arriving at their destination, or, if the deficiency could not be found during proper inspection, within 10 working days of discovering same. This also applies to multiple deliveries. A multiple delivery is deemed to have been accepted if no complaint is lodged within 10 days of the goods arriving at their destination. Our field staff are not authorised to acknowledge quantity or deficiency complaints.

9.3. A purchaser accepting faulty goods knowing them to be defective shall only be entitled to the claims and rights in respect of deficiencies if he reserves the right to these by reason of deficiency on acceptance.

9.4. We guarantee to meet the purchaser's claims for defective goods for a period of two years, starting with the date of each delivery. This will not affect liability for defects in title under statutory regulations. The liability for losses contingent on defects shall be governed by para. 10.

9.5. Where there are grounds for complaint, the purchaser will initially only have a claim to subsequent performance which we may effect as we deem fit, either by repair or by supplying a defect-free item. If subsequent performance fails or is unacceptable or dispensable to the purchaser (Section 440 BGB), the purchaser will have the right to reduce the purchase price or, if he so chooses, to revoke the contract or to demand damages in place of performance or reimbursement of wasted expenditure in accordance with para. 10 because

a) we finally refuse subsequent performance,

b) we do not effect subsequent performance on a contractually agreed date or within a specific period and in the contract the purchaser has bound the continuance of his interest in performance to the timely delivery of performance,

c) there are special circumstances which justify immediate cancellation on a consideration of the interests of both parties (Section 323 para. 2 BGB).

9.6. Where we deem it necessary to effect repairs or replacement deliveries, the purchaser shall allow us sufficient time and opportunity for such repairs or replacement deliveries, otherwise our liability for the deficiency shall be deemed to have been discharged. Only in urgent cases of risk to operating safety or to avert considerable damage, in which case we must be informed immediately, or when we are late in rectifying the defect shall the purchaser have the right to remedy the defect himself or have it remedied by a third party and to demand compensation of the requisite cost from us.

10. Liability for damages

10.1. We accept liability for damages arising from injury to life, limb or health and in accordance with the Product Liability Act pursuant to the relevant statutory provisions.

10.2. Our liability for breach of duty and our non-contractual liability shall, moreover, be limited to malicious intent and gross negligence. Liability for gross negligence by our non-senior employees, staff and vicarious agents is hereby limited to the level of contractually typical, foreseeable damage, the occurrence of which we could have expected at the time of conclusion of contract on the basis of the circumstances known to us at the given time to the exclusion of damage not incurred directly by the object of delivery such as and above all the lack of economic success, lost profit, indirect damage, consequential damage due to a given defect and third-party claims.

10.3. The above limitation of liability pursuant to para. 10.2. dœs not apply to the breach of duties material to contract (cardinal duties). The latter are those duties compliance with which permits proper and due fulfillment of contract at all and in the compliance with which the contracting party trusts and is entitled to trust. In this case, even in the event of slight negligence, we shall be liable for our own negligence and that of our employees, staff or vicarious agents, limited however to the level of contractually typical, foreseeable damage, the occurrence of which we could have expected at the time of conclusion of contract on the basis of the circumstances known to us at the given time.

10.4. The above limitations on liability apply equally to claims for the reimbursement of wasted expenditure (Section 284 BGB).

10.5. Claims against us for damages on any legal grounds whatsœver shall become statute-barred within two years of the statutory commencement of the limitation period.

10.6. A shift in the burden of proof to the disadvantage of the purchaser is not connected with the above provisions.

11. Returned goods

The reconsignment of goods sold or the reversal of the contract are only admissible in exceptional cases and upon our explicit prior consent, except in the cases stated in these Terms and Conditions. Goods sent back without our consent will be rejected, respectively returned to the Buyer freight forward. Reconsigned goods as described above always go at the Buyer's risk and account. When reimbursing the value of reconsigned goods, we will charge handling expenses amounting to 25% of the net value of the goods and make deductions according to the usability of the goods.

12. Data Protection / Confidentiality Agreement

12.1. We process and use personal data under consideration of applicable data protection law. The processing and use is effected for the purpose of fulfillment of our services rendered to the purchaser. In this context it might be necessary to transfer the data to third parties, for example to the data processing center being employed by us, logisticians or collection agencies. Furthermore, an exchange of data might occur within our company group. If necessary, we will obtain the required consent for the processing of the data from the purchaser. Further information with regard to the handling of data can be gathered from our data protection policy which is available in the internet under www.dornbracht.com. In addition, our data protection officer will be at your disposal for any questions.

12.2. The purchaser is obliged to keep the content of our offer / the agreement or other confidential information respectively company and business secrets in strict confidence. Those information may only be disclosed to third parties if this is legally compulsory or if we have given our prior written consent. Information known to the purchaser prior to the receipt of our offer or publicized prior to or after conclusion of the contract without our or the purchaser's involvement are not regarded as confidential information.

13. Place of performance, court of jurisdiction, applicable law

13.1. The place of performance for the obligations of either party under this contract shall be Iserlohn.

13.2. Any disputes involving registered merchants shall exclusively be settled before a competent court of law having jurisdiction for our headquarters. We shall, however, be entitled to bring an action against the purchaser at another legal place of jurisdiction.

13.3. The relationship between ourselves and the purchaser shall be governed by German law to the exclusion of the United Nations Convention on the International Sale of Goods (CISG) and the provisions of international patent law.

13.4. Should subsequent circumstances cause individual provisions of these Terms and Conditions to be or become invalid, this shall not affect the validity of the remaining provisions.

Issued December 2010

Aloys F. Dornbracht GmbH & Co. KG Armaturenfabrik
Köbbingser Mühle 6
D-58640 Iserlohn
Phone +49 (0) 2371 433-460
Fax +49 (0) 2371 433-135
mail@dornbrachtgroup.de
dornbracht.com

Dornbracht Group
Premium Solutions for Interior Architecture

01 01 17 974 09 / 03.2017