

certifications

ISO 9001: 2015

INNOVATION DESIGN QUALITY CARE

PRODUCTION AND DISTRIBUTION ALL OVER THE WORLD

7	SHOWER PANELS
10	SHOWER SYSTEMS
20	SHOWER SETS
34	HANDSHOWERS SHOWER HEADS
52	ACCESSORIES

THE STORY OF A LIFE

SANICRO TAKES ALL THE GOOD OF THE PAST

To heal the present and dream the future









SINCE 1914

CARE-QUALITY-DEVELOPMENT-INNOVATION-DESIGN

Sanicro is the story of a Company. It's the story of a life. The story of a family that still bases its values on human relationships. Sanicro designs, manufactures, sells high quality handshowers. It shows the care of the most special ties, the attention for its Customers, in Italy and abroad. It guarantees the acceptance of the individual needs, answers to the needs and acts as an intermediary for foreign markets. It provides personalized services, including the consignment stock. It invests in the development of functional and innovative products highly certificated, but with a sophisticated and elegant Italian design. It combines style and efficiency. It feels the modern requirements and studies a new concept of shower, at low environmental and ecological impact, because the care of ourselves passes also through the attention to others and to the nature. That's why you can trust: Sanicro takes all the good of the past and also chooses to innovate, create, evolve. Sanicro designs a shower for every need. Sanicro knows that the world, your world, needs cares.

PRODUCTION AND DISTRIBUTIONFOR ITALIAN AND FOREIGN CUSTOMERS ALL OVER THE WORLD

CONCEIVING, CO-DESIGN, PROTOTYPING AND PRODUCTION

Through the collaboration with Flowservice, Sanicro offers and co-designs to its customers a product that meets customers' needs. Then, starting from the idea, some different solutions will be submitted, such as 3D representation of the working prototype or a pre-series. Through innovative software that monitor and reduce manufacturing defects, it is also possible to design highly efficient moulds, allowing a considerable saving of resources, in terms of money and energy. Sanicro accompanies the customer from the concept to finished product.

MEDIATION

Sanicro has suppliers and customers all over the world. Through this network of bonds can act as an intermediary between customer and abroad supplier, to ensure quick and easy transactions, with reliable and tested partners under a high quality supervision and control.

CONSIGNMENT STOCK

Sanicro can manage and supply the customers' warehouses, with storage and delivery to individual stores in Italy and Europe.

STRONG POINTS

The Sanicro's facilities is composed of 6800 square meters, 2500 for production and 4300 for warehouse use.

RELIABILITY

Technological, design and engineering innovation. Flexibility and Speed production and sales. Adaptable to specific needs of executive customer requirements. Global consulting Sanicro accompanies the customers and answers to their needs, at all stages of the production and distribution.



SHOWER PANELS

SHOWER PANEL







RAIN

450

SHOWER TRAY >90

EASY CLEAN


ART. SAN013 designer: UT Sanicro

SAN013

AVAILABLE ONLY UPON PURCHASE ORDERS

SHOWER PANEL MADE IN POLISHED STAINLESS STEEL
WITH THERMOSTATIC.





SHOWER PANEL

SAN012

ART. SAN012 designer: UT Sanicro

AVAILABLE ONLY UPON PURCHASE ORDERS

MADE IN BRUSHED STAINLESS STEEL
WITH STANDARD MIXER.








SHOWER TRAY >90



RAIN



In conformity with **DIN EN 1112**







HERE SOME SHOWER SYSTEM PROPOSALS.

AVAILABLE ALSO THE SINGLE SEPARATE COMPONENTS
LIKE SHOWER COLUMN, HANDSHOWER,
SHOWER HEAD, DIVERTER, AND FLEXIBLE HOSE.
WE CAN ALSO CREATE THE SHOWER SYSTEM
AS YOU PREFER.












ART. SAN04522

designer: UT Sanicro

SHOWER COLUMN C
COMPOSED OF:
Chrome/gray ABS round
shower head. Handshower
1 jet. Brass shower column
with 2 adjustable end feet.
Stainless steel flexible
hose aisi 304 cm 150
conical nut Brass diverter conical nut. Brass diverter. Fitting kit.





SHOWER SYSTEM "SQUARE FIX" EASY CLEAN **ART. SAN04309** designer: UT Sanicro RAIN **TELESCOPIC RIGID** SHOWER COLUMN SQUARE COMPOSED OF: Stainless steel square shower head. Brass handshower square 1 jet. Telescopic brass shower column. Stainless steel flexible hose aisi 304 cm 150 conical nut. Brass diverter. Fitting kit. 8 370 _ ø20 22 FIX 200x200 35x15 202 max 75 min 55 max 1150 min 900

80cm above the ground

ø 24

G3/4 8 8 G1/2

In conformity with DIN EN 1112

max 75 min 55







SEMBLE 1.


ART. SAN04758

"SQUARE"

designer: UT Sanicro

RIGID SHOWER COLUMN SQUARE COMPOSED OF:

Stainless steel square shower head. Brass handshower square 1 jet. Brass shower column. Stainless steel flexible hose aisi 304 cm 150 conical nut. Brass diverter. Fitting kit.







EASY CLEA

LEAN


"4700"

ART. SAN04700

designer: UT Sanicro

TELESCOPIC SHOWER COLUMN COMPOSED OF:

Stainless steel round shower head. Chrome plated abs handshower 1 jet. Chrome plated brass raiser rail.
Stainless steel flexible hose aisi 304 cm 150 conical nut. Diverter.







FACILE PULITURA EASY CLEAN

1 GETTO


"4726"

ART. SAN04726

designer: UT Sanicro

SHOWER COLUMN COMPOSED OF:

Stainless steel round shower head. Chrome plated abs handshower 1 jet. Chrome plated brass raiser rail with wall bracket adjustable in deph Stainless steel flexible hose aisi 304 cm 150 conical nut. Diverter.











LOW PRESSURE NEEDED **EASY CLEAN**

EASY TO ASSEMBLE


ART. SAN04311

"In

designer: UT Sanicro

TELESCOPIC SHOWER COLUMN U

COMPOSED OF:
Chrome/gray ABS round shower
head ABS handshower 1 jet.
Telescopic brass shower column with
2 adjustable end feet. Stainless steel flexible hose aisi 304 cm 150 conical nut. Brass diverter. Fitting kit.













EASY TO ASSEMBLE


ART. SAN04310

designer: UT Sanicro

TELESCOPIC SHOWER COLUMN C

"C/04310"

COMPOSED OF:
Chrome/gray ABS round shower
head. ABS handshower 1 jet.
Telescopic brass shower column with
2 adjustable end feet. Stainless steel flexible hose aisi 304 cm 150 conical nut. Brass diverter. Fitting kit.










ART. SAN15201 designer: UT Sanicro

TELESCOPIC SHOWER COLUMN COMPOSED OF: C.P. Abs shower head. C.P.

Abs handshower. Stainless steel shower hose cm 150 conical nut. Diverter.

Fixing kit.











LOW PRESSURE NEEDED EASY CLEAN


ART. SAN04489

"U/04489"

designer: UT Sanicro

SHOWER COLUMN U
COMPOSED OF:
Chrome/gray ABS round shower head.
Handshower 1 jet. Brass shower column with 2 adjustable end feet. Stainless steel flexible hose aisi 304 cm 150 conical nut. Brass diverter Fitting kit diverter. Fitting kit.





HERE SOME SHOWER SET PROPOSALS.

AVAILABLE ALSO THE SINGLE SEPARATE COMPONENTS
LIKE GLIDE BAR, HANDSHOWER AND FLEXIBLE HOSE.

WE CAN ALSO CREATE THE SHOWER SET
AS YOU PREFER.

SAN211

ART. SAN211


designers: UT Sanicro & tonettidesign











In conformity with **DIN EN 1112**

SAN231C














C.p. abs handshower 2 spray. C.p. brass 2 slider bar with 2 adjustable feet. Universal flex 150 cm with conical nut. Fixing kit.







In conformity with **DIN EN 1112,** ACS and KTW W270






SAN209

ART. SAN209

designers: UT Sanicro

SET COMPOSED OF:

Chrome plated handshower 1 jet. Brass slide bar. Saniflex flexible hose conical nut cm 150. Fixing kit.



Alternatively, this model of adjusting ABS sliding rail is still available.

In conformity with DIN EN 1112, ACS

SAN213










WATER SAVING EASY TO ASSE

EASY TO ASSEMBLE EASY CLEAN

1 JET



SAN203

ART. SAN203

designers: UT Sanicro & tonettidesign

patented

SET COMPOSED OF:

Chrome plated handshower 6 jets. Brass slide bar. Saniflex flexible hose cm 150 conical nut. Fixing kit.








LOW PRESSURE NEEDED EASY CLEAN







SAN232

ART. SAN232











In conformity with **DIN EN 1112, ACS** and KTW BWGL UBA

SAN217

ART. SAN217

designers: UT Sanicro & tonettidesign

SET COMPOSED OF: Chrome plated handshower, 5 jets. Brass slide bar. Universalflex flexible hose cm 150 conical nut. Fixing kit.







LOW PRESSURE NEEDED

EASY CLEAN





MASSAGE

SOFT

RAIN+MASSAGE RAIN+SOFT







In conformity with **DIN EN 1112, ACS**

SAN224

ART. SAN224

designers: UT Sanicro & tonettidesign

SET COMPOSED OF:Chrome plated handshower, 2 jets. Brass slide bar. Universalflex flexible hose cm 150 conical nut. Fixing kit.














SAN225

ART. SAN225

designers: UT Sanicro & tonettidesign

SET COMPOSED OF: Chrome plated handshower, 3 jets. Brass slide bar. Universalflex flexible hose cm 150 conical nut. Fixing kit.














In conformity with **DIN EN 1112, ACS**

SAN228

ART. SAN228

designers: UT Sanicro & tonettidesign


SET COMPOSED OF:

Chrome plated handshower 1 jet. Brass slide bar. Universalflex flexible hose cm 150 conical nut. Fixing kit.









SAN212

ART. SAN212

designers: UT Sanicro & tonettidesign


SET COMPOSED OF:

Chrome plated handshower 3 jets. Conical brass slide bar. Universalflex flexible hose conical nut cm 150. Fixing kit.









DIN EN 1112

HANDSHOWERS/SHOWER HEADS

SAN120

ART. SAN120

designers: UT Sanicro & tonettidesign







CHROME PLATED HANDSHOWER 1 JET.



In conformity with DIN EN 1112



designer: UT Sanicro



CHROME PLATED BRASS HANDSHOWER.








EASY CLEAN





In conformity with DIN EN 1112

SAN121

ART. SAN121

CHROME PLATED HANDSHOWER

designer: tonettidesign



5 JETS.

patented











RAIN+MASSAGE RAIN+SOFT





LOW PRESSURE NEEDED

EASY CLEAN



In conformity with **DIN EN 1112, ACS**

SAN122 ART. SAN122

designer: tonettidesign



CHROME PLATED HANDSHOWER 1 JET.

patented







EASY CLEAN





In conformity with **DIN EN 1112, ACS**

SAN123 ART. SAN123

designer: tonettidesign



RAIN






CHROME PLATED HANDSHOWER 3 JETS.

patented

In conformity with **DIN EN 1112, ACS**

SAN111





EASY CLEAN







ART. SAN111 designer: tonettidesign




CHROME PLATED HANDSHOWER 1 JET.



LOW PRESSURE NEEDED

EASY CLEAN

1 JET



In conformity with **DIN EN 1112, ACS**

SAN130 ART. SAN130

designer:






C.P. ABS HANDSHOWER 2 JETS.

patented

In conformity with **DIN EN 1112, ACS** and KTW W270





EASY CLEAN



designers: UT Sanicro & tonettidesign








CHROME PLATED HANDSHOWER 3 JETS.









In conformity with **DIN EN 1112**

ART. SAN105

designers: UT Sanicro & tonettidesign











RAIN+MASSAGE RAIN+SOFT

CHROME PLATED HANDSHOWER 5 JETS.



In conformity with DIN EN 1112, ACS

DREI MONO

ART. D101

designer: exclusive Sanicro products



C.P. ABS HANDSHOWER DREI MONO 1 JET.





120





In conformity with DIN EN 1112, ACS and KTW W270

designer: exclusive Sanicro products







C.P. ABS HANDSHOWER DREI 3 JETS.







in conformity with **DIN EN 1112, ACS** and KTW W270



designer: tonettidesign
















RAIN+MASSAGE RAIN+SOFT

CHROME PLATED HANDSHOWER 5 JETS.





In conformity with **DIN EN 1112**

designers: UT Sanicro & tonettidesign
















EASY CLEAN



CHROME PLATED HANDSHOWER





EASY CLEAN

1 JETS

In conformity with **DIN EN 1112, ACS**

SAN106


ART. SAN106

designers: UT Sanicro & tonettidesign



CHROME PLATED HANDSHOWER 1 JET.





In conformity with **DIN EN 1112, ACS**

ART. SAN108

designer: tonettidesign










RAIN+MASSAGE RAIN+SOFT

CHROME/SATIN PLATED HANDSHOWER 5 JETS.









In conformity with **DIN EN 1112, ACS**

SAN107 ART. SAN107

designer: tonettidesign






CHROME/SATIN PLATED HANDSHOWER 3 JETS.









In conformity with **DIN EN 1112, ACS**

designers: UT Sanicro



C.P. ABS HANDSHOWER

In conformity with **DIN EN 1112, ACS** and KTW W270









C.P. ABS HANDSHOWER KARINA 4 JETS.

In conformity with **DIN EN 1112, ACS**


and KTW W270











ART. SAN113

designers: UT Sanicro & tonettidesign



3 JETS.





MASSAGE RAIN+MASSAGE

CHROME PLATED HANDSHOWER










LOW PRESSURE NEEDED EASY CLEAN



In conformity with **DIN EN 1112, ACS**



designers: UT Sanicro



C.P. ABS HANDSHOWER MINIMAL 1 JET.








1 GETTO 1 JET

In conformity with **DIN EN 1112, ACS**



KENDRA

ART. D115

designers: UT Sanicro












RAIN+MASSAGE RAIN+SOFT

C.P. ABS HANDSHOWER KENDRA 5 JETS.







In conformity with **DIN EN 1112, ACS** and KTW W270

SAN116

ART. SAN116

designers: UT Sanicro & tonettidesign




CHROME PLATED HANDSHOWER 1 JET.









In conformity with **DIN EN 1112, ACS**

ART. SAN115

designers: UT Sanicro & tonettidesign







MASSAGE


RAIN+MASSAGE

CHROME PLATED HANDSHOWER 3 JETS.









In conformity with **DIN EN 1112**

KIT CONNI


ART. KITCONO1CR

designer: UT Sanicro

KIT SHATTAF CONNI COLLECTION:

ABS CHROME PLATED WITH INTERNAL ABS CHROME PLATED WITH INTERNAL NON-TOXIC POM TUBE. NEOPERL 4 LT/MIN LIMESCALE WATER JET, START AND STOP BUTTON, 1/2" M CONNECTION. COMPLETE WITH WATER INTAKE WITH SAFETY SYSTEM WHICH STOPS THE WATER FLOW BEFORE THE FLEXIBLE HOSE CONNECTION JUST PLACING THE SHOWER IN ITS CONICAL SUPPORT. STAINLESS STEEL CHROME PLATED FLEXIBLE HOSE, DOUBLE INTERLOCK FOR HIGH WATER PRESSURE, LENGTH 120 CM WITH 1/2 "F X 1/2" CONICAL CONNECTION.

AVAILABLE ALSO IN WHITE



In conformity with **SASO and WEL**

KIT FINE ART. KITFINO1CR

designer: UT Sanicro

KIT SHATTAF FINE COLLECTION:

BRASS CHROME PLATED, NEOPERL A LT/MIN LIMESCALE WATER JET, START AND STOP BUTTON, 1/2" M CONNECTION. COMPLETE WITH WATER INTAKE WITH SAFETY SYSTEM WHICH STOPS THE WATER FLOW BEFORE THE FLEXIBLE HOSE CONNECTION JUST PLACING THE SHOWER IN ITS CONICAL SUPPORT. STAINLESS STEEL CHROME PLATED FLEXIBLE HOSE, DOUBLE INTERLOCK FOR HIGH WATER PRESSURE, LENGTH 120 CM WITH 1/2 "F X 1/2" CONICAL CONNECTION.



In conformity with **SASO and WEL**




designer: UT Sanicro



STAINLESS STEEL SQUARE SHOWER HEAD.







In conformity with **DIN EN 1112**

1 JETS











STAINLESS STEEL ROUND SHOWER HEAD.





In conformity with DIN EN 1112





ABS CHROME PLATED SHOWER HEAD









ø 183

In conformity with DIN EN 1112

designer: UT Sanicro
















RAIN+MASSAGE RAIN+SOFT

ABS CHROME PLATED SHOWER HEAD 5 JETS.





In conformity with **DIN EN 1112**



designer: UT Sanicro
















EASY CLEAN



ABS CHROME PLATED SHOWER HEAD 7 JETS.





In conformity with **DIN EN 1112**









ABS CHROME PLATED SHOWER HEAD 1 JET.






In conformity with DIN EN 1112

SAN526


ART. SAN313

C.p. brass shower arm d.20 40 cm.





C.p. brass shower arm 25X25 350mm.



ACCESSORIES

SLIDER D.25.


SLIDER D.18.





ART. SAN527

C.P. BRASS DIVERTER 3/4.



ART. SAN511

CHROME PLATED ABS FIXED CONICAL SHOWER HOLDER.



ART. WIO1CR

WATER INTAKE WITH SAFETY SYSTEM MADE IN BRASS.



ART. SAN512

ROUND SOAP DISH Ø MM 18/22/25.

SOAP DISH Ø MM 18/25.





ART. SAN515

ART. SAN516

SOAP DISH "ARC-ELLY".

SOAP DISH Ø MM 18/25 WITH HOSE RETAINER.





ART. SAN517

ART. SAN518

SAVING WATER WASHERS KIT.

FLOW REGULATOR 8 L/M.





ART. SAN406 cm 150

ART. SAN406 cm 200

CHROME PLATED STAINLESS STEEL FLEXIBLE HOSE DOUBLE CLINCHING $1/2 \times 1/2 \times 1/2$

CHROME PLATED STAINLESS STEEL FLEXIBLE HOSE DOUBLE CLINCHING $\frac{1}{2}$ X $\frac{1}{2}$ CM 200 CONICAL NUT.





ART. SAN404 cm 150

ART. SAN101 cm 150

PLASTIC SANIFLEX FLEXIBLE HOSE ½ X ½ CM 150 CONICAL NUT.

PLASTIC CHROME/TRANSPARENT UNIVERSAL FLEX FLEXIBLE HOSE $\frac{1}{2}$ X $\frac{1}{2}$ CM 150 CONICAL NUT.





ART. SAN403 cm 150

ART. SAN403 cm 200

PLASTIC REINFORCED FLEXIBLE HOSE $\ensuremath{\mathcal{U}}$ X $\ensuremath{\mathcal{U}}$ CM 150 CONICAL NUT.

PLASTIC REINFORCED FLEXIBLE HOSE 1/2 X 1/2 CM 200 CONICAL NUT.





ART. SAN405 cm 150

ART. SAN405 cm 200

STAINLESS STEEL FLEXIBLE HOSE AISI 304 CM 150 CONICAL NUT.

STAINLESS STEEL FLEXIBLE HOSE AISI 304 CM 200 CONICAL NUT.





ART. SHFLEXO1CR

STAINLESS STEEL FLEXIBLE HOSE, FOR HIGH WATER PRESSURE, DOUBLE INTERLOCK, 120 CM, $1/2^{\circ}$ F X $1/2^{\circ}$ CONICAL.



PICTOGRAMS



LOW PRESSURE: Product sprays an homogeneous and well defined jet under a low water pressure, it works in an very good way both with low water pressures than with all types of water pressure.



EASY CLEAN: Thanks to the rubber soft shower nozzles, the product can be easily cleaned from mineral deposits simply by moving the nozzles with your fingers, it is always recommended to clean the product with white vinegar after several periods of use.



EASY ASSEMBLY: When replacing an existing product, our product can be easily installed without drilling the wall, simply the article can be fixed to the wall using the existing holes, of course, in the case of first installation, it will require drilling.



JETS: It indicates how many sprays the handshower and showerhead have.



SHOWER TRAY

SHOWER TRAY: Shows the minimum recommended size for the shower tray.



SAVING WATER: Through a sequence of different colours, the product makes the user aware of the real water consumption, allowing him to limit its use and safeguarding both his own savings than the protection of a common good.

COMMERCIAL CONDITIONS

1. PURCHASE ORDERS

All orders will be provided in according to the standard conditions listed in this catalogue. The order sent to Sanicro is always understood as a proposed order and it's in the Sanicro's right to accept or reject it. After three days of receipt, and getting nothing from Sanicro, the order is fully accepted as order. The order shall indicate the exact codes and descriptions of the ordered articles prices, delivery terms and details of the customer including vat.

2. RETURNS

No return can be accepted if it has not been previously accepted by SANICRO in writing.

3. PACKAGING

The packaging of each item is included in the selling price and it has been studied to be then added on wooden pallets.

4. TRANSPORT

The transport is ex works or free customer warehouse with debit on the invoice and this option will be agreed directly with SANICRO's area agent or directly to SANICRO. Any shipment of goods is carried out on behalf of the receiver, and then at his own risk. Upon receipt of the goods, the receiver must verify that the package is intact, that the merchandise is not damaged or that any defective merchandise have been received and that there is any missing or different item than indicated on the delivery document. Any claim relating to the packaging, damages or defects, shortfalls or any other complaint related to the received goods should be reported immediately writing on the transport document the reserve "goods received under controll reserve". The reserve must then be comunicated to Sanicro by fax to +39.030.881081 or by email at sanicro@sanicro.it within 8 days from the receipt date of goods.

5. DELIVERY

The delivery terms constitute a commitment for Sanicro but they cannot be relied upon by the customer as reason to cancel the order. Delivery times are provided in two-three weeks from Sanicro order confirmation.

6. CHANGES

Technical and aesthetic characteristics, sizes, weights and packagings of the items showed in the catalogue are liable to changes without notice.

7. LEGAL NOTICE

In case of dispute or disagreement coming from these terms of trade or just related to them, the competent court of justice will be the Tribunal of Brescia (Italy) exclusively, with the express and agreed exclusion of any other alternative or competing court of justice.



WWW.SANICRO.IT

sanicro@sanicro.it

T +39 030 8980621

WILDEN SRL

VIA VENETO 84 25069 CAILINA DI VILLA CARCINA (BRESCIA) ITALY



